

PRODUCT-DETAILS

# UK663CW

UK663CW Combi Unit , 872 mm x 384 mm x 97 mm, Flush mounting, 36 SU, IP30, Single



## Informations générales

Extension du type de produit	UK663CW
Code de produit	2CPX031401R9999
EAN	4011617314011
Description courte	UK663CW Combi Unit , 872 mm x 384 mm x 97 mm, Flush mounting, 36 SU, IP30, Single
Description longue	Combi Unit, series UK600, Expansion option: Lateral and bottom, for the internal use, with closed doorframe and door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, IK code 7, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 850°C, Powder-coated, in RAL 9016, enclosure out of thermoplast, with frame and ventilated wifi door, door out of sheet steel, in RAL 9016, with TIP-in closure, door opening angle 120 degree, door hinge right or left, cable entry on top via cable entry slide part is pre-punched, on bottom via cable entry slide part is pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 872 x 384 x 97, Shutter frame dimensions in mm (H x W x D): 872 x 384 x 9, 5-rows, Space units 36, Row distance in mm: 125, covers out of Plastic, 90 degree press and turn closure, with N/PE Quick-terminal, cable fastening rail integrated, assembled with device carrier, segregation wall, perforated sheet steel mounting plate and socket outlet, device support removable

## Technique

Normes et standards	DIN 43871
Tension	Maximum 400 V
Operational Voltage	400 V
Courant nominal (I <sub>n</sub> )	63 A
Power Loss	Δt = 30K 71 W

Number of Rows	5
Closure Type	Push Button
Configuration Type	assembled with device carrier, segregation wall, perforated sheet steel mounting plate and socket outlet
Cover Plate Type	Door
Type de boîtier	Combi Unit
Type de montage	Flush mounting
Door Type	Single
Finition de surface	Powder-coated
Qualité du matériau	Plastic
Style de cache	Closed
DIN Place Units	36
RAL Number	RAL 9016 - Blanc signalisation
Couleur	Traffic white
Type de borne	Quick-Terminal

## Environnement

Indice de protection	IP30
Classe de protection	Isolated (Class II)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CPC100018X0201
REACH Declaration	2CPC100005X0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Width in Number of Modular Spacings	12
Produit Largeur Net	384 mm
Produit Hauteur Net	872 mm
Produit Longueur Net	97 mm
Poids net	5.291 kg
Profondeur d'encastrement (t <sub>2</sub> )	81 mm
Schéma dimensionnel	2CPC000001D0201 2CPC000004D0201 2CPC000005D0201 2CPC000007D0201

## Commande

Emballage Niveau 1 Unités	pack 1 pièce
Emballage Niveau 1 Poids	5.503 kg
E-Number (Sweden)	2201249

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CPC100018X0201
--------------------------------	-----------------

---

**Installation**


---

Instructions et manuels	2CPC130100M5601
-------------------------	-----------------

---



---

**Downloads Préférés**


---

Fiche produit, informations techniques	2CPC000001C0101 2CPC000002C0101
Building Information Modeling - BIM	9AKK107046A7947

---



---

**Classifications**


---

ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
Catégorie DEEE	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142409
Code de classification d'objet	U

---



---

**Accessories**


---

Identifiant	Description	Type	Quantity	Unit Of Measure
2CPX062745R9999	ZK50BT Terminals	ZK50BT	1	piece
2CPX030892R9999	ZK507 Terminals	ZK507	1	piece
2CPX031413R9999	UZT4 Enclosure accessories	UZT4	1	piece
2CPX031412R9999	UZT3 Enclosure accessories	UZT3	1	piece
2CPX031434R9999	UZ91P4 Enclosure accessories	UZ91P4	1	piece
2CPX031406R9999	AP660 Enclosure accessories	AP660	1	piece
2CPX061178R9999	ZX29 Interior fitting system	ZX29	1	piece
2CPX061177R9999	ZE225 Customized electrical components	ZE225	1	piece
2CPX031408R9999	UZB2 Enclosure accessories	UZB2	1	piece
2CPX061211R9999	ZE227 Customized electrical components	ZE227	1	piece
2CPX031426R9999	ZE338 Interior fitting system	ZE338	1	piece
2CPX031427R9999	ZE224 Customized electrical components	ZE224	1	piece
2CPX031424R9999	ZE336 Interior fitting system	ZE336	1	piece
2CPX031423R9999	ZE335 Interior fitting system	ZE335	1	piece

---



---

**Catégories**


---

Produits basse tension → Tableaux, Coffrets et Armoires → Petit coffret modulaires → Tableaux d'abonné encastrés → UK600

