


PRODUCT-DETAILS

IO/S4.6.1.1

IO/S4.6.1.1 I/O Actuator, 4-fold, MDRC



Informations générales

Extension du type de produit	IO/S4.6.1.1
Code de produit	2CDG110168R0011
EAN	4016779881074
Description courte	IO/S4.6.1.1 I/O Actuator, 4-fold, MDRC
Description longue	For the control of loads in residential areas, typically in hotel rooms and apartments. The I/O Actuators provide binary inputs for the connection of conventional push-buttons and outputs for switching loads. Inputs and outputs can be internally connected by ETS. By integrating the devices into KNX networks further functions can be realised: e.g. central control or room based emergency calls to a control centre.

Installation

Instructions et manuels	2CDG941096P0002
-------------------------	-----------------

Technique

Fiche produit, informations techniques	2CDC505144D0201
Type de courant	AC
Fonctions spéciales	Switching

Sub-Function	LED controlling
Tension	110 ... 230 V AC
Auxiliary Voltage AC/DC	KNX
Tension du secteur (U_{in})	230 V AC
Tension de sortie (U_{out})	250 V AC
Courant nominal (I_n)	6 A
Maximum Switching Current	6 A
Maximum Switching Power	1200 W
Power Loss	1.05 W
Maximum Number of Switching Outputs	4
Number of Input Channels	4
Number of Output Channels	4
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Type de montage	DIN-Rail
Manual Operation	Non
Suitable for C-Load	Non
Couleur	light grey
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	2CDK505142D2701
REACH Declaration	9AKK107492A1906
SCIP	5144ccbba-65f8-4b6a-8b84-150a9f26fd6e Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	4
Produit Largeur Net	72 mm
Produit Hauteur Net	90 mm
Produit Longueur Net	64.5 mm
Poids net	0.17 kg
Schéma dimensionnel	2CDC072033F0015

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité
- CE

2CDK505142D2701

Classifications

ETIM 8	EC001584 - I/O device for bus system
ETIM 9	EC001584 - I/O device for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8537 10 91
eClass	V11.0 : 27143145
Code de classification d'objet	A

Catégories

Produits basse tension → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 6 A

