# 1SNA115278R0100 - ACTIVE

#### ENTRELEC | ENTRELEC SNA

TE Internal #: 1SNA115278R0100 Modular Terminal Blocks, Feed-Through, Screw Clamp Terminal Block, Gray, Product Spacing .315 in [8 mm], 2 Position, Screw Terminal, ENTRELEC SNA

View on TE.com >



Connectors > Terminal Blocks & Strips > Modular Terminal Blocks



Block Function: Feed-Through

Modular Terminal Block Product Type: Screw Clamp Terminal Block

Rated Cross Section: 6 mm<sup>2</sup>

Primary Product Color: Gray

### Features

### Product Type Features

Modular Terminal Block Product Type

**Configuration Features** 

Screw Clamp Terminal Block

Gauge Type

A5

Number of Levels	1
Number of Poles	2
Number of Circuits	1
Block Function	Feed-Through
Number of Positions	2
Electrical Characteristics	
Operating Voltage Rating (UL & CSA) (Max) - Main Circuit	300 V
Impulse Withstanding Voltage Rating (IEC)	6000 V
Voltage Rating (CSA)	500 V
Current Rating (CSA)	40 A
Short-Time Withstanding Current Rating @ 1s	720 A
Voltage Rating (IEC)	300 V
Current Rating (UL)	50 A
Current Rating (IEC)	41 A
Voltage Rating	500 VAC

**C** For support call+1 800 522 6752

Modular Terminal Blocks, Feed-Through, Screw Clamp Terminal Block, Gray, Product Spacing .315 in [8 mm], 2 Position, Screw Terminal, ENTRELEC SNA



### **Body Features**

Product \//cicht	$12 \propto [122 \approx -1]$
Product Weight	12 g[.423 oz]
Primary Product Color	Gray
Termination Features	
Termination Method to Wire & Cable	Screw Terminal
Mechanical Attachment	
DIN Rail Mounting Type	G32, TH35-15, TH35-7.5
Connector Mounting Type	DIN Rail
Housing Features	
Housing Material	Polyamide
Dimensions	
Main Circuit Capacity - 1 Rigid Stranded Conductor per Screw Clamp	.5 – 10 mm²
Main Circuit Capacity - 1 Flexible Conductor per Screw Clamp	.5 – 6 mm²
Wire Stripping Length	12 mm[.47 in]
Tool Size	4 mm, 5 mm[.157 in][.197 in]
TOOT SIZE	4 11111, 3 11111[.137 111][.177 111]
Product Depth	12 mm[.472 in]
Product Depth	12 mm[.472 in]
Product Depth Product Width	12 mm[.472 in] 8 mm[.315 in]
Product Depth Product Width Product Height	12 mm[.472 in] 8 mm[.315 in] 41 mm[1.61 in]
Product DepthProduct WidthProduct HeightRated Cross Section	12 mm[.472 in] 8 mm[.315 in] 41 mm[1.61 in] 6 mm <sup>2</sup>
Product DepthProduct WidthProduct HeightRated Cross SectionProduct Spacing	12 mm[.472 in] 8 mm[.315 in] 41 mm[1.61 in] 6 mm <sup>2</sup> 8 mm[.315 in]
Product DepthProduct WidthProduct HeightRated Cross SectionProduct SpacingWire Size	12 mm[.472 in] 8 mm[.315 in] 41 mm[1.61 in] 6 mm <sup>2</sup> 8 mm[.315 in]
Product DepthProduct WidthProduct HeightRated Cross SectionProduct SpacingWire SizeUsage Conditions	12 mm[.472 in] 8 mm[.315 in] 41 mm[1.61 in] 6 mm <sup>2</sup> 8 mm[.315 in] 6 mm <sup>2</sup>
Product DepthProduct WidthProduct HeightRated Cross SectionProduct SpacingWire SizeUsage ConditionsOperating Temperature Range	12 mm[.472 in] 8 mm[.315 in] 41 mm[1.61 in] 6 mm <sup>2</sup> 8 mm[.315 in] 6 mm <sup>2</sup>
Product DepthProduct WidthProduct HeightRated Cross SectionProduct SpacingWire SizeUsage ConditionsOperating Temperature RangeOperation/Application	12 mm[.472 in] 8 mm[.315 in] 41 mm[1.61 in] 6 mm <sup>2</sup> 8 mm[.315 in] 6 mm <sup>2</sup> $-55 - 110 \circ C[-67 - 230 \circ F]$
Product DepthProduct WidthProduct HeightRated Cross SectionProduct SpacingVire SizeUsage ConditionsOperating Temperature RangeOperation/ApplicationCircuit Application	12 mm[.472 in] 8 mm[.315 in] 41 mm[1.61 in] 6 mm <sup>2</sup> 8 mm[.315 in] 6 mm <sup>2</sup> $-55 - 110 \circ C[-67 - 230 \circ F]$

### Product Compliance

For compliance documentation, visit the product page on TE.com>

Modular Terminal Blocks, Feed-Through, Screw Clamp Terminal Block, Gray, Product Spacing .315 in [8 mm], 2 Position, Screw Terminal, ENTRELEC SNA



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




Modular Terminal Blocks, Feed-Through, Screw Clamp Terminal Block, Gray, Product Spacing .315 in [8 mm], 2 Position, Screw Terminal, ENTRELEC SNA





# Also in the Series | ENTRELEC SNA




# Customers Also Bought



Modular Terminal Blocks, Feed-Through, Screw Clamp Terminal Block, Gray, Product Spacing .315 in [8 mm], 2 Position, Screw Terminal, ENTRELEC SNA





### Documents

**CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1SNA115278R0100\_A.2d\_dxf.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_1SNA115278R0100\_A.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_1SNA115278R0100\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

MS6/8

English

**ENTRELEC Terminal Block - Master Catalog** 

English

ENTRELEC Terminal Blocks Catalogue (RUS)