

PRODUCT-DETAILS

64762-84-500

64762-84-500 WD 180 flex comfort sensor



Informations générales

Extension du type de produit	64762-84-500
Code de produit	2CKA006800A2964
EAN	4011395293553
Description courte	64762-84-500 WD 180 flex comfort sensor

Description longue	<p>Movement detector sensor with measurement of ambient light. For automatic switching of devices dependent on motion and brightness. Push switch function possible at all times. ./.</p> <p>In combination with dimmer insert flex: dimming function of lighting and selectable light value storage. With enabling of pre-warning of switch-off for stairwell operation. Compatible with all free@home flex inserts. Adjusting elements on rear side. Extension of the detection range by means of master/slave combination. With continuous light/continuous Off function.</p> <p>With brightness-independent test mode for evaluating the detection zone. With detection display in test mode. Surveillance density: 14 sectors with 56 switching segments. Switch-off delay: approx. 10 sec - 30 min or short-time pulse 1 sec adjustable. For relay insert flex, 1gang, 64811 U. For e-contact insert flex, 1gang, 64814 U. For series relay insert flex, 2gang, 64821 U. For LED touch dimmer insert flex, 1gang, 64851 U. For extension insert flex, 64891 U. Mounting height: 22 mm.</p>
--------------------	--

Information complémentaire

Température de l'air ambiant	Operation -5 ... +45 °C
Application Function	Electrical Load and Light Control
Poids de la batterie	0 g
Marque / Étiquette	ABB
CN8	8538 90 99

Couleur	studio white
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Pays d'origine	Germany (DE)
Code douanier	85389099
Fiche produit, informations techniques	No document needed
Data Sheet, Technical Information (Part 2)	2CKA000073B5216
Déclaration de Conformité - CE	2CKA100000E4287
Indice de protection	IP20
Duty Cycle	Maximum 30 minute [unit of time]
EAN	4011395293553
eClass	V11.0 : 27144008
E-Number (Finland)	2619462
E-Number (Sweden)	1301493
ETIM 7	EC000138 - Sensor element for movement sensor
ETIM 8	EC000138 - Sensor element for movement sensor
Instructions et manuels	2CKA000073B5100 2CKA000073B5119 2CKA000073B5120 2CKA000073B5121 2CKA000073B5122 2CKA000073B5123
Description sur la facturation	64762-84-500 WD 180 flex comfort sensor
Matériau	Thermoplastic
Quantité minimum	1 pièce
Minimum Switching Time	Switch-On 10 second [unit of time]
Model Number	Movement sensor
Type de montage	Flush Mounted
Emballage Niveau 1 Longueur	78 mm
Emballage Niveau 1 EAN	4011395293553
Emballage Niveau 1 Poids	0.105 kg
Emballage Niveau 1 Hauteur	58 mm
Emballage Niveau 1 Unités	carton 1 pièce
Emballage Niveau 1 Largeur	92 mm
Groupe de produit	Busch-Watchdog 180 flex, comfort sensor
Produit Longueur Net	35 mm
Produit Hauteur Net	63 mm
Poids net	32.54 g
Produit Largeur Net	63 mm
Product Range	flexTronics
RAL Number	RAL 9016 - Blanc signalisation
REACH Declaration	2CKA309999E9999
Date RoHS	20201020
Informations RoHS	2CKA200000E7343
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Unité de mesure	pièce
Sensor Detection Range	Horizontal 13 ... 180 °
Description courte	64762-84-500 WD 180 flex comfort sensor

Adapté pour

2CKA006800A3042
 2CKA006800A3048
 2CKA006800A3045
 2CKA006500A0013
 2CKA006800A3051

Transmission Range	Frontally 12 m Sideways 12 m
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
ETIM 9	EC000138 - Sensor element for movement sensor
Design Range	63x63 future linear Busch-axcent Busch-axcent pur solo carat future
Application Sub Function	Switching Dimming Movement Detection

Accessories

Identifiant	Description	Type	Quantity	Unit Of Measure
2CKA006500A0013	Dimmer insert Push button 1 gang(s) 230 V	64851 U-500	1	piece

