

PRODUCT-DETAILS

MSA-F-1.1.1-WL

MSA-F-1.1.1-WL WL-MovDetect/act. 1g, 44



Informations générales

Extension du type de produit	MSA-F-1.1.1-WL
Code de produit	2CKA006200A0117
EAN	4011395216064
Description courte	MSA-F-1.1.1-WL WL-MovDetect/act. 1g, 44

Description longue	<p>With select lens for detection with animal access. For automatic switching of ABB-free@home® actuators dependent on movement and brightness. Switch-off delay of the actuator can be programmed via the web interface of the System Access Point. For switching 127 V~/230 V~ consumers. With integrated switch actuator. Switching function is available also without prior programming (pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.</p>
--------------------	---

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
Courant nominal (I_n)	10 A

Maximum Switching Power	2300 W
Nombre de sorties	1
Number of Channels	1
Compatible Bus Systems	free@home
Product Range	free@home
Minimum Switching Time	Switch-On 30 second [unit of time]
Type de charge	ohmic
Type de montage	Flush Mounted
Matériau	Plastic
Type d'encastrement	vertical
Model Number	Movement sensor
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Informations RoHS	9AKK104295D8727
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	44.2 mm
Produit Hauteur Net	47.1 mm
Produit Longueur Net	46 mm
Poids net	103 g
Profondeur d'encastrement (t ₂)	32 mm

Commande

ID du produit remplacé	6200-0-0117
------------------------	-------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E3577
--------------------------------	-----------------

Classifications

ETIM 8	EC001582 - Movement sensor for bus system
ETIM 9	EC001582 - Movement sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

CN8

8536 50 80

eClass

V11.0 : 27143144

Catégories

Produits basse tension → Home and Building Automation → free@home → Lighting Control → Motion Detectors

