

PRODUCT-DETAILS

6819/68-24-500

Presence Detector 8 m



Informations générales

Extension du type de produit	6819/68-24-500
Code de produit	2CKA006800A2751
EAN	4011395217740
Description courte	Presence Detector 8 m
Description longue	Slave presence detector for extension of the detection range of master presence detectors. Detection range (for installation height of 3 m): circular Seated persons: up to Ø 6.5 m, walking persons: up to Ø 8 m. Visible height 23 mm. Ceiling installation using integrated spring bracket. Twist protection via additional quick tensioning. Surveillance density: 48 sectors with 496 switching segments. Suitable for false ceilings with a board thickness from 9 to 25 mm. Hole size: Ø 68 mm.

Technique

Fiche produit, informations techniques	2CKA001673B9577
Fonction	Extension unit
Tension nominale (U _r)	230 V AC
Auxiliary Voltage AC/DC	110 V AC/DC 230 V AC/DC
Type de tension	AC
Fréquence assignée (f)	50 / 60 Hz
Power Loss	0.3 W
Plage de mesure	8 m

Number of Switching Zones	496
Type de raccordement	Plug Clamp
Type de montage	Built-in
Sensor Type	Passive infrared
Finition de surface	Surface protection: Untreated Surface finishing: Matt
Matériau	Thermoplastic
Type d'encastrement	Ceiling
Model Number	Presence detector
RAL Number	RAL 9016 - Blanc signalisation
Couleur	studio white matt
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP40
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E6498
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	94 mm
Produit Hauteur Net	94 mm
Produit Longueur Net	72 mm
Poids net	128.1 g
Profondeur d'encastrement (t ₂)	49 mm

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E0696
--------------------------------	-----------------

Classifications

ETIM 8	EC000133 - Movement sensor complete
ETIM 9	EC000133 - Movement sensor/presence detector complete
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27144007

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CKA006800A2737	Presence Detector 8 m 200 W	6817/62-24-500	1	piece
2CKA006800A2735	Presence Detector 12 m 2300 W	6819/30-24-500	1	piece
2CKA006800A2741	Presence Detector 12 m 2300 W	6819/31-24-500	1	piece
2CKA006800A2739	Presence Detector 12 m 200 W	6817/32-24-500	1	piece
2CKA006800A2743	Presence Detector 12 m 200 W	6817/33-24-500	1	piece
2CKA006800A2747	Presence Detector 12 m DALI 1380 W	6819/35-24-500	1	piece
2CKA006800A2765	Presence Detector	6889/30-24-500	1	piece
2CKA006899A2304	Protection Cover	6898	1	piece

Catégories

Produits basse tension → Wiring Accessories - StandAlone Electronics → Presence Detector → Professional Series

