

# LLSE-R1400111020C2



**FIBERS** 

## LLSE-R1400111020C2 | LLX

**FIBERS** 



## Ordering information

Туре	Part no.
LLSE-R1400111020C2	2115020

Illustration may differ

#### Included in delivery: LLAC-FC (1)

Other models and accessories -> www.sick.com/LLX

### Detailed technical data

#### Features

Device type	Fibers	
Functional principle	Through-beam system	
Fiber-optic cable cuttable	$\checkmark$	
Adapter sleeves required	No	
Items supplied	1 x fiber cutter (LLAC-FC), M4 mounting set (4 x M4 nut + 4 x M4 washer)	

#### Mechanical data

Housing	Cylindrical with thread
Design detail	Radial
Thread diameter (housing)	M4
Connection detail	
Cable diameter	2,2 mm
Length of cable (L)	2 m
Bending radius	2 mm
Material	
Housing	Stainless steel, Stainless steel V2A (1.4301)
Cable	Plastic PE
Fibers	Plastic, PMMA
Fiber diameter (and quantity of fibers)	1 mm

#### Ambient data

Ambient operating temperature	-40 °C +60 °C
RoHS certificate	1

#### Classifications

ECLASS 5.0	27270905
ECLASS 5.1.4	27270905
ECLASS 6.0	27270905
ECLASS 6.2	27270905
ECLASS 7.0	27270905
ECLASS 8.0	27270905
ECLASS 8.1	27270905

## LLSE-R1400111020C2 | LLX


FIBERS

ECLASS 9.0	27270905
ECLASS 10.0	27270905
ECLASS 11.0	27270905
ECLASS 12.0	27270905
ETIM 5.0	EC002651
ETIM 6.0	EC002651
ETIM 7.0	EC002651
ETIM 8.0	EC002651
UNSPSC 16.0901	39121528
Sensing ranges with WLL180T	
Operating mode 16 µs	140 mm
Operating mode 70 µs	400 mm
Operating mode 250 µs	600 mm
Operating mode 2 ms	1,400 mm
Operating mode 8 ms	2,000 mm
Sensing ranges with GLL170	

## Sensing ranges with GLL170T

Operating mode 50 µs	300 mm
Operating mode 250 µs	490 mm

## Dimensional drawing (Dimensions in mm (inch))



For length of cable (L), see technical data

# LLSE-R1400111020C2 | LLX

**FIBERS** 

#### **Recommended accessories**

Other models and accessories → www.sick.com/LLX

	Brief description	Туре	Part no.
Other adapter	S		
and a second	Fiber cutting tool, in LLX scope of delivery	LLAC-FC	2119448

# SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

# WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com



Online data sheet

