# 1SET111020R0000 ACTIVE

#### **ENTRELEC**

TE Internal #: 1SET111020R0000


Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 5.8 mm, 6 AWG Wire Size, 16 mm<sup>2</sup> Wire Size, .229 in [5.8 mm] Barrel Inside

Diameter, Closed

View on TE.com >



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Pin, Tab & Ferrule Terminal Type: Ferrule

Pin Diameter: 5.8 mm

Accepts Wire Insulation Diameter Range: 8.7 mm, 8.8 mm [ .343 in, .347 in ]

Wire Size: 16 mm²

## **Features**

### **Product Type Features**

Troduct Type Features	
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Double Wire	No
Insulation Material	PP
Contact Features	
Terminal Length	12 mm[.468 in]
Crimp Wire Pin, Tab & Ferrule Terminal Type	Ferrule
Barrel Type	Closed
Terminal Plating Material	Tin
Terminal Orientation	Straight



## Mechanical Attachment

Wire Insulation Support	Without
Dimensions	
2-Wire Size	16 mm <sup>2</sup>
Strip Length	15 mm[.591 in]
Pin Diameter	5.8 mm
Accepts Wire Insulation Diameter Range	8.7 mm, 8.8 mm[.343 in][.347 in]
Wire Size	16 mm <sup>2</sup>
Barrel Inside Diameter	5.8 mm[.229 in]
Terminal Material Thickness	.2 mm[.007 in]
Overall Product Length	24 mm[.945 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Heavy Duty	No
Packaging Features	
Packaging Quantity	100
Packaging Method	Bag
Other	
Barrel Color	lvory

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Yet Reviewed
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**



ZK16-3P

























# Customers Also Bought











TE Part #967693-000 BCIC-7/12/7-H(B3)

TE Part #710307-1 CVT 570 SANS BOULON (105)

TE Part #714494-1 RTFP 50/1250 (621)

## **Documents**

## **Product Drawings**

WF160-12-IV

English

## Datasheets & Catalog Pages

Infographic - entrelec ews-linecard

English

**ENTRELEC - INSULATED WIRE END FERRULES** 

**ENTRELEC - INSULATED WIRE END FERRULES** 

English

**ENTRELEC - INSULATED WIRE END FERRULES** 

French

**Essential Entrelec Terminal Blocks** 

French

**Essential Entrelec Terminal Blocks** 

English

## **Agency Approvals**

UL

English