

PRODUCT-DETAILS

# M12-C0312

## M12-C0312 Cable



### Informations générales

Extension du type de produit	M12-C0312
Code de produit	2TLA020056R5800
EAN	7350024478747
Description courte	M12-C0312 Cable
Description longue	M12-C0312 is a shielded cable with straight M12-5 male and female connectors. The five conductors have a cross section of 0.34 mm <sup>2</sup> . The shield is connected to pin 3 (0V) on the male connector. The jacket is made of black PVC. The length of the cable is 0.3 meter.

### Commande

Quantité minimum	1 pièce
Code douanier	8544429090

### Downloads Préférés

Fiche produit, informations techniques	2TLC010082L0201
Instructions et manuels	2TLC010082L0201
Marketing Video	9AKK10103A4645 2TLC010018N0201

---

## Dimensions

---

Produit Longueur Net	300 mm
Produit Hauteur Net	14 mm
Produit Largeur Net	14 mm
Poids net	0.034 kg

---



---

## Technique

---

Adapté pour

Orion1-4-14-015-B  
 Orion1-4-14-030-B  
 Orion1-4-14-045-B  
 Orion1-4-14-060-B  
 Orion1-4-14-075-B  
 Orion1-4-14-090-B  
 Orion1-4-14-105-B  
 Orion1-4-14-120-B  
 Orion1-4-14-135-B  
 Orion1-4-14-150-B  
 Orion1-4-14-165-B  
 Orion1-4-14-180-B  
 Orion1-4-30-015-B  
 Orion1-4-30-030-B  
 Orion1-4-30-045-B  
 Orion1-4-30-060-B  
 Orion1-4-30-075-B  
 Orion1-4-30-090-B  
 Orion1-4-30-105-B  
 Orion1-4-30-120-B  
 Orion1-4-30-135-B  
 Orion1-4-30-150-B  
 Orion1-4-30-165-B  
 Orion1-4-30-180-B  
 Orion2-4-K2-050-B  
 Orion2-4-K3-080-B  
 Orion2-4-K4-090-B  
 Orion2-4-K4-120-B  
 Orion3-4-K1C-050-B  
 Orion3-4-K2C-080-B  
 Orion3-4-K2C-090-B  
 Orion3-4-K2C-120-B  
 Orion1-4-14-030-E  
 Orion1-4-14-045-E  
 Orion1-4-14-060-E  
 Orion1-4-14-075-E  
 Orion1-4-14-090-E  
 Orion1-4-14-105-E  
 Orion1-4-14-120-E  
 Orion1-4-14-135-E  
 Orion1-4-14-150-E  
 Orion1-4-14-165-E  
 Orion1-4-14-180-E  
 Orion1-4-30-030-E  
 Orion1-4-30-045-E  
 Orion1-4-30-060-E  
 Orion1-4-30-075-E  
 Orion1-4-30-090-E  
 Orion1-4-30-105-E  
 Orion1-4-30-120-E  
 Orion1-4-30-135-E  
 Orion1-4-30-150-E  
 Orion1-4-30-165-E  
 Orion1-4-30-180-E  
 Orion2-4-K2-050-E  
 Orion2-4-K3-080-E  
 Orion2-4-K4-090-E  
 Orion2-4-K4-120-E  
 Orion3-4-K1C-050-E  
 Orion3-4-K2C-080-E  
 Orion3-4-K2C-090-E  
 Orion3-4-K2C-120-E  
 JSHD4-1-AC  
 Adam DYN-Info M12-5  
 Adam DYN-Status M12-5  
 Adam DYN-Reset M12-5  
 Adam OSSD-Info M12-5  
 Adam OSSD-Reset M12-5  
 Adam AS-i M12-4

Spot 10  
JSTD25F

---

**Environnement**


---

REACH Declaration	2CMT2022-006480
Informations RoHS	2CMT2022-006499
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

---



---

**Certificats et Déclarations (Numéro de document)**


---

Declaration of Conformity - CCC	No declaration needed
Déclaration de Conformité - CE	No declaration needed
Declaration of Conformity - UKCA	No declaration needed

---



---

**Classifications**


---

E-Number (Sweden)	3833786
ETIM 6	EC001855 - câble confectionné pour détecteur/actionneur
ETIM 7	EC001855 - Sensor-actuator patch cord
ETIM 8	EC001855 - Sensor-actuator patch cord
ETIM 9	EC001855 - Sensor-actuator patch cord
Code de classification d'objet	W
UNSPSC	26121603
eClass	V11.0 : 27060313

---



---

**Catégories**


---

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Barrières immatérielles

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Câbles et connecteurs

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Optical Safety Devices Accessories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Safety Sensors, Switches and Locks Accessories

