



14

kWh/1000h

109

lumens/watt

LED Stik- Dimmable

LED DimSTIK 14(100)865 B22 TU
93104346

Product information

Tungsramp keeps innovating and introduces the LED Stik- Dimmable to complete the most successful range* in the LED lamps to replace CFL and eCFL.

- LED Stik- Dimmable Led Lamp range won the IDEA Bronze design award in 2017 and the IF Design award in 2018

Application areas



Office



Hospitality



Home



Other

Product data

Product Code	93104346
Bulb Shape	T45
Bulb Finish	White
Bulb maximum overall diameter [mm]	45
Nominal Length [mm]	136
Net weight per piece [g]	74
Dimmability	Yes
RoHS compliant	Yes
Brand	TungsrAm
Cap/Base	B22

Performance data

Nominal/ Rated Beam Angle [°]	240
Rated Lumens [lm]	1521
Weighted energy consumption [kWh/1000h]	14.0
Rated efficacy [lm/W]	108.64
Energy efficiency class (EEC)	F
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	6500
Nominal lumens [lm]	1521
Colour Rendering Index (CRI) [Ra]	80


Electrical data

Nominal lamp power factor...	>0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50k
Nominal lamp voltage range [V]	220-240V 50/60Hz
Nominal power [W]	14

Logistic data

Shipment	Standard
DUN Code	15994100023514
EAN Code	5994100023517
Pack Quantity	15
Product status	Available

Light distribution



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Datasheet \(PDF\)](#)

[Images \(HTTP\)](#)

[DoC document \(PDF\)](#)

[Dimming compatibility \(PDF\)](#)

