

PRODUCT-DETAILS

TSN/U.2.1-CG

TSN/U.2.1-CG ROS//NO



Informations générales

Extension du type de produit	TSN/U.2.1-CG
Code de produit	2CKA006300A1603
EAN	4011395254172
Description courte	TSN/U.2.1-CG ROS//NO

Description longue

Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. With backlit room number. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. With integrated KNX bus coupler. The bus connection is provided via the enclosed bus terminal. Additional power supply must be connected via enclosed terminal block, e.g. yellow/white wires in bus connection. Number of bus subscribers: 1 with separate 24 V auxiliary power supply

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations	No document needed
-----------------------------	--------------------

techniques

Compatible Bus Systems	KNX (TP)
Product Range	KNX
Design Range	tacteo
Type de montage	Flush Mounted
Finition de surface	Surface protection: Untreated Surface finishing: Glossy
Matériau	Glass
Model Number	Chip card
Application Function	Hospitality

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5501
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	86 mm
Produit Hauteur Net	157 mm
Produit Longueur Net	34 mm
Poids net	327 g

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E4232
--------------------------------	-----------------

Classifications

ETIM 8	EC000782 - Access control unit for bus system
ETIM 9	EC000782 - Access control unit for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143141

Catégories

Produits basse tension → Home and Building Automation → KNX → User Operation → ABB tacteo® → Room Numbers and Corridor Sensors

