

PRODUCT-DETAILS

# CT MAX 400 SELV

## CT MAX 400 SELV Current transformer



### Informations générales

|                              |  |
|------------------------------|--|
| Extension du type de produit | CT MAX 400 SELV  |
| Code de produit              | 2CSG226015R1101  |
| EAN                          | 8012542260158  |
| Description courte           | CT MAX 400 SELV Current transformer  |
| Description longue           | CT MAX 400 SELV is used to transform primary currents to..5A secondary currents for c.a. measurement instruments |

### Technique

|                                      |                          |
|--------------------------------------|--------------------------|
| Cable Use                            | Cable and Horizontal bar |
| Intensité de courant                 | 400 A                    |
| Rated Primary Current ( $I_{pn}$ )   | 400 A                    |
| Rated Secondary Current ( $I_{sn}$ ) | 5 A                      |
| Current Limit Function               | FS 5                     |
| Fréquence (f)                        | 50 ... 60 Hz             |
| Sortie de puissance apparente        | 200 V·A                  |
| Power Loss                           | 5 W                      |
| Secondary Output Connection          | Screw connection         |

|                        |                                |
|------------------------|--------------------------------|
| Précision              | ±0,5%                          |
| Model Number           | Through-feed current converter |
| Number of Inputs       | Primary 1                      |
| Type de montage        | Through Primary                |
| Additional Information | Selv                           |
| Section de câble       | 30 mm                          |
| Section nominale       | 40 x 10 mm                     |

## Environnement

|   |   |
|---|---|
| Température de l'air ambiant                | Operation -5 ... 50 °C  |
| Indice de protection                        | IP30  |
| Statut RoHS                                 | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
| Informations RoHS                           | 2CSC445004K2701   |
| Informations environnementales              | See RoHS Information  |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363   |

## Dimensions

|                      |         |
|----------------------|---------|
| Produit Largeur Net  | 0.070 m |
| Produit Hauteur Net  | 26.5 mm |
| Produit Longueur Net | 69 mm   |
| Poids net            | 0.37 kg |

## Commande

|                           |             |
|---------------------------|-------------|
| Emballage Niveau 1 Unités | box 1 pièce |
| Emballage Niveau 1 Poids  | 0.5 kg      |

## Certificats et Déclarations (Numéro de document)

|                                |                 |
|--------------------------------|-----------------|
| Déclaration de Conformité - CE | 9AKK106713A5701 |
|--------------------------------|-----------------|

## Installation

|                         |                 |
|-------------------------|-----------------|
| Instructions et manuels | 2CSC446012B0201 |
|-------------------------|-----------------|

## Downloads Préférés

|  |                 |
|--|-----------------|
| Fiche produit, informations techniques | 9AKK107046A0430 |
|--|-----------------|

## Classifications

|        |                                |
|--------|--------------------------------|
| ETIM 8 | EC002048 - Current transformer |
|--------|--------------------------------|

|                                |  |
|--------------------------------|--|
| ETIM 9                         | EC002048 - Current transformer                             |
| Catégorie DEEE                 | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B                 | Business To Consumer                                       |
| CN8                            | 90303100   |
| eClass                         | V11.0 : 27210902   |
| Code de classification d'objet | P  |

---

## Catégories

---

Produits basse tension → Appareillage modulaire et parafoudres → Compteurs d'énergie → Current Transformers

