

PRODUCT-DETAILS

SBA-F-2.1.PB.1-WL

SBA-F-2.1.PB.1-WL WL-Sens/ Blindact. 2/1, 44



Informations générales

Extension du type de produit	SBA-F-2.1.PB.1-WL
Code de produit	2CKA006200A0114
EAN	4011395216033
Description courte	SBA-F-2.1.PB.1-WL WL-Sens/ Blindact. 2/1, 44
Description longue	For controlling blind or awning motors. Communication with the free@home system is carried out wireless. With integrated blind actuator. Blind function is available also without prior programming (left sensor channel is pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The right sensor channel for programming additional functions (groups, scenes, etc.). For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. 3 wire connection (neutral conductor required). With two 230 V extension unit inputs (Up/Down). With fixing claws.

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
Type de courant	AC
Tension nominale (U _r)	230 V
Auxiliary Voltage AC/DC	230 V AC/DC

Courant nominal (I_n)	4 A
Maximum Switching Current	Resistive Load 4 A
Fréquence assignée (f)	50 ... 60 Hz
Maximum Switching Power	920 W
Nombre de sorties	2
Compatible Bus Systems	free@home
Product Range	free@home
Type de charge	Operation mode Blind
Type de montage	Flush Mounted
Nombre de batteries	0
Application Function	Blind / Shutter / Shading Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E4807
REACH Declaration	2CKA309999E9999
SCIP	9a834dc3-13b8-4438-8f82-41b0ae68f633 Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	45 mm
Produit Hauteur Net	45 mm
Produit Longueur Net	40 mm
Poids net	105 g
Profondeur d'encastrement (t_2)	32 mm

Commande

ID du produit remplacé	6200-0-0114
------------------------	-------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E3576
--------------------------------	-----------------

Classifications

ETIM 8	EC001330 - Shutting actuator for bus system
ETIM 9	EC001330 - Shutting actuator for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 91

Catégories

Produits basse tension → Home and Building Automation → free@home → Shading Control → Blind Actuators 230 V AC

