

PRODUCT-DETAILS

MCBH-00

MCBH-00 Contact Block Holder



Informations générales

| | |
|------------------------------|--|
| Extension du type de produit | MCBH-00 |
| Code de produit | 1SFA611605R1100 |
| EAN | 7320500544310 |
| Description courte | MCBH-00 Contact Block Holder |
| Description longue | <p>The MCBH-00 Contact Block Holder is: Maintained/Momentary - Front mounting - 3</p> <p>This Contact Block Holder is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p> |

Commande

| | |
|------------------|----------|
| Quantité minimum | 10 pièce |
| Code douanier | 85369001 |

Downloads Préférés

| | |
|--|-----------------|
| Fiche produit, informations techniques | 1SFC151007C02_ |
| Instructions et manuels | 1SFC151011M0201 |

MJS5
MJS6
MJS7
MJS8
MJS11
MJS12

Adapté pour la classe de produit

Pilot Devices

Environnement

| | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| Informations RoHS | 2CMT2015-005452 |
| Statut RoHS | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Catégorie DEEE | Product Not in WEEE Scope |

Certificats et Déclarations (Numéro de document)

| | |
|----------------------------------|--------------------|
| Certificat ecULus | UL-E76003-20140513 |
| Déclaration de Conformité - CE | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |

Emballage

| | |
|-----------------------------|---------------|
| Emballage Niveau 1 Unités | bag 10 pièce |
| Emballage Niveau 1 Largeur | 0.11 m |
| Emballage Niveau 1 Longueur | 0.15 m |
| Emballage Niveau 1 Hauteur | 0.02 m |
| Emballage Niveau 1 Poids | 0.1 kg |
| Emballage Niveau 1 EAN | 7320500307465 |

Classifications

| | |
|--|--|
| Code de classification d'objet | S |
| ETIM 6 | EC001020 - adaptateur pour appareils de commande |
| ETIM 7 | EC001020 - Adapter for control circuit devices |
| ETIM 8 | EC001020 - Adapter for command devices |
| eClass | V11.0 : 27371302 |
| UNSPSC | 39122221 |
| Code de catégorie granulaire IDEA (IGCC) | 5219 >> Switch part or accessory |
| E-Number (Finland) | 2339091 |
| E-Number (Norway) | 4373197 |
| E-Number (Sweden) | 3714000 |

Lieu d'utilisation (comme pièce détachée d'un produit).

| Identifiant | Description | Quantity | Unit Of Measure |
|----------------|--------------------------|----------|-----------------|
| IRB 340 M2004 | No Description Available | 1 | piece |
| 3HAC020536-015 | No Description Available | 1 | piece |
| IRB 1400 M2004 | No Description Available | 1 | piece |
| 3HAC020536-001 | No Description Available | 1 | piece |

Données spécifiques à la pièce

| Product | Category | Robot Design Year | Robot Part Location | Robotics Part Category |
|----------------|-----------------|-------------------|---------------------|--|
| IRB 340 M2004 | IRB 340 | IRB 340 M2004 | Manipulator Base | Misc Parts - Connector/Connector Parts |
| 3HAC020536-015 | | IRB 360 M2004 | Manipulator Base | SMB/Electronics |
| IRB 1400 M2004 | IRB 1400-5/1,44 | | Base and Frame | Assembly Casting/Machining |
| 3HAC020536-001 | | | Base and Frame | Misc Parts - Various |

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Unités de commande et de signalisation → Commande et signalisation

Produits et Systèmes Moyenne Tension → Service → Pièces détachées → Parts → All Spare Parts (Relays-SWG-CB)

Robotique → Robots → Robots à structures parallèles → IRB 340

Robotique → Robots → Robots à structures parallèles → IRB 360 → IRB 360

Robotique → Robots → Robots polyarticulés → IRB 1400 → IRB 1400-5/1,44

