

PRODUCT-DETAILS

SDA-F-2.1.PB.1

SDA-F-2.1.PB.1 Sens/ Dimact. 2/1, 44x44



Informations générales

Extension du type de produit	SDA-F-2.1.PB.1
Code de produit	2CKA006220A0236
EAN	4011395187395
Description courte	SDA-F-2.1.PB.1 Sens/ Dimact. 2/1, 44x44

Description longue	<p>For dimming 230 V\sim loads. With integrated universal dimming actuator for controlling LEDs, incandescent lamps, 230 V halogen lamps, low-voltage halogen lamps with conventional or electronic transformers, and dimmable energy-saving halogen lamps. For dimmable Retrofit-LEDs (LEDi). Dimming function is available also without prior programming (left sensor channel is pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The right sensor channel for programming additional functions (groups, scenes, etc.). For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.</p>
--------------------	---

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
--	--------------------

Tension	230...230 V
Fréquence assignée (f)	50 ... 60 Hz
Nombre de sorties	1
Compatible Bus Systems	free@home
Product Range	free@home
Type de montage	Flush Mounted
Model Number	Dimming actuator
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Informations RoHS	9AKK104295D8727
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	45 mm
Produit Hauteur Net	45 mm
Produit Longueur Net	40 mm
Poids net	43 g
Profondeur d'encastrement (t ₂)	32 mm

Commande

ID du produit remplacé	6220-0-0236
------------------------	-------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E1394
--------------------------------	-----------------

Classifications

ETIM 8	EC001094 - Dimming actuator for bus system
ETIM 9	EC001094 - Dimming actuator for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 91
eClass	V11.0 : 27143123

Catégories

Produits basse tension → Home and Building Automation → free@home → Lighting Control → Universal Dim Actuators

