

PRODUCT-DETAILS

MLBL-07R

MLBL-07R LED block



Informations générales

| | |
|------------------------------|--|
| Extension du type de produit | MLBL-07R |
| Code de produit | 1SFA611621R1071 |
| EAN | 7320500544860 |
| Description courte | MLBL-07R LED block |
| Description longue | <p>The MLBL-07R LED block is: - Red - Illuminated - Front mounting - 230 V</p> <p>This LED block is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p> |

Commande

| | |
|------------------|----------|
| Quantité minimum | 10 pièce |
| Code douanier | 85369001 |

Downloads Préférés

| | |
|--|-----------------|
| Fiche produit, informations techniques | 1SFC151007C02__ |
| Instructions et manuels | 1SFC151011M0201 |

Dimensions

| | |
|----------------------|---------|
| Produit Largeur Net | 0.01 m |
| Produit Hauteur Net | 0.044 m |
| Produit Longueur Net | 0.042 m |
| Poids net | 0.01 kg |

Technique

| | |
|----------------------------------|--|
| Température de l'air ambiant | Operation -25 ... +70 °C Storage -40 ... +85 °C |
| Couleur | Red |
| Voyant | Illuminated |
| Type de lampe | 230 V AC, integrated LED |
| Type de montage | Front mounting |
| Indice de protection | Terminals IP20 |
| Fréquence assignée (f) | 50 / 60 Hz |
| Tension | 230 V AC |
| Connecting Capacity | Flexible with Ferrule 1 x 0.75...2.5 mm ² Flexible with Ferrule 2 x 0.75...2.5 mm ² Flexible with Insulated Ferrule 1 x 0.75...2.5 mm ² Flexible with Insulated Ferrule 2 x 0.75...2.5 mm ² Flexible 1 x 0.75 ... 2.5 mm ² Flexible 2 x 0.75 ... 2.5 mm ² Solid 1 x 0.75...2.5 mm ² Solid 2 x 0.75...2.5 mm ² |
| Type de raccordement | Screw Clamp |
| Type de borne | Screw Terminals |
| Couple de serrage | 0.9 N·m |
| Wire Stripping Length | 8 mm |
| Adapté pour | MCBH-00 MCBH5-00 MP1 MP2 MP3 MP4 MPMT3 MPMP3 M2SS1 M2SS2 M2SS3 M2SS4 M2SS5 M2SS6 M3SS1 M3SS2 M3SS3 M3SS4 M3SS5 M3SS6 M3SS7 M3SS8 MPM1 |
| Adapté pour la classe de produit | Pilot Devices |

Technique UL/CSA

| | |
|---------------------|----------------|
| Connecting Capacity | 1x 18...14 AWG |
| UL/CSA | 2x 18...14 AWG |

Environnement

| | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| Informations RoHS | 2CMT2015-005452 |
| Statut RoHS | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| WEEE B2C / B2B | Business To Business |
| Catégorie DEEE | 5. Small Equipment (No External Dimension More Than 50 cm) |

Certificats et Déclarations (Numéro de document)

| | |
|----------------------------------|---------------------|
| CB Certificate | SEMKO_SE-56219 |
| CQC Certificate | CQC2008010305274953 |
| Certificat ecULus | 9AKK107046A9925 |
| Declaration of Conformity - CCC | 2020980305001106 |
| Déclaration de Conformité - CE | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate | E-14107 |
| EAC Certificate | 1SFC150017D1101 |

Emballage

| | |
|-----------------------------|---------------|
| Emballage Niveau 1 Unités | bag 10 pièce |
| Emballage Niveau 1 Largeur | 0.135 m |
| Emballage Niveau 1 Longueur | 0.155 m |
| Emballage Niveau 1 Hauteur | 0.025 m |
| Emballage Niveau 1 Poids | 0.11 kg |
| Emballage Niveau 1 EAN | 7320500372852 |

Classifications

| | |
|--|--|
| Code de classification d'objet | E |
| ETIM 6 | EC000204 - bloc de douille pour appareils de commande et d'information |
| ETIM 7 | EC000204 - Lamp holder block for control circuit devices |
| ETIM 8 | EC000204 - Lamp holder block for control circuit devices |
| eClass | V11.0 : 27371209 |
| UNSPSC | 39122221 |
| Code de catégorie granulaire IDEA (IGCC) | 5219 >> Switch part or accessory |
| E-Number (Finland) | 2315775 |
| E-Number (Norway) | 4373113 |
| E-Number (Sweden) | 3705067 |

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Unités de commande et de signalisation → Accessoires pour unités de commande et signalisation

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Unités de commande et de signalisation → Commande et signalisation

