1SNK508911R0000 ACTIVE

ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK508911R0000

Terminal Block & Strip Insulating Accessories, End Section Cover, Used With Screw Clamp Terminal Blocks, -67 – 230 °F [-55 – 110 °C],

ENTRELEC SNK

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Insulating Accessories









Screw Clamp Terminal Blocks



Insulating Accessory Type: End Section Cover

Compatible With Block or Strip Type: Screw Clamp Terminal Blocks

Operating Temperature Range: -55 - 110 °C [-67 - 230 °F]

Features

Product Type Features

Insulating Accessory Type	End Section Cover
Body Features	
Plastic & Resin Material Type	Polyamide
Product Weight	5.98 g[.211 oz]
Primary Product Color	Dark Gray
Dimensions	
Product Spacing	2.5 mm[.098 in]
Product Depth	63.1 mm[2.484 in]
Product Height	84.5 mm[3.327 in]
Usage Conditions	
Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
Installation Temperature Range	-5 - 40 °C[23 - 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
Operation/Application	

Compatible With Block or Strip Type



Industry Standards

IP Rating	IP20
UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Also in the Series | ENTRELEC SNK





Modular Terminal Blocks(318)



Terminal Block & Strip Conducting Accessories(67)



Terminal Block & Strip Insulating Accessories(30)

Customers Also Bought





















Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK508911R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK508911R0000_A.3d_igs.zip

Terminal Block & Strip Insulating Accessories, End Section Cover, Used With Screw Clamp Terminal Blocks, -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK



English

Customer View Model

ENG_CVM_CVM_1SNK508911R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ENTRELEC Terminal Block - Master Catalog

English

ES4-D2-SF1

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)