




haubold®

RNC65 S/W II






RNC65 S/W II

		<p>A = 295 mm B = 274 mm C = 130 mm</p>
		<p>kg = 1,9 kg</p>

<p>1,42l (6 bar) / </p>
<p>Ps max. = 8,0 bar</p>

<p>EN 12549+EN ISO 4871</p>	<p>L_{wa.1s} = 95 dBA L_{pA.1s} = - dBA L_{pa.1s.1m} = 82 dBA</p>
<p>EN 12096 : 1997</p> <p>ISO 8662 11</p>	<p>Vibration = 3,1 m/s²</p>



NAIL/COLLATION SPECIFICATION	
<p><i>Welded-wire coil nails</i></p>	<p><i>Plastic sheet coil nails</i></p>






Sequential trigger actuation/ Einzelauslösung/ enkelschots/ Déclenchement du tir - mode séquentiel/ Funcionamiento secuencial "en continuo"/ Gatilho de actuação sequencial/ funzionamento sequenziale (colpo a colpo)/ Enkeltskuds aftrækker/ Enkelskott/ Enkeltskudds avtrekker/ Kertalaukaisu/ Üksiklasu meetodil töötamine/ Uruchomienie spustu sekwencyjne/ Sekvenčni spoušt/ Egyes lövés (szakaszosan működtetett elsütő billentyűvel)/ Posamezno proženje/ Kontaktirajte singl / Последовательная активация при нажатии на курок/ Sekvenčná aktivácia spúšte/ التشغيل بالتسلسل (المقيد)
 Nuoseklusis paleidimo mechanizmas/ Sekvenciālās palaišanas iedarbināšana
 Raðkveikjvirkjun

Model: RNC65 S/W II Sequential actuation

No. 503871



No. 014748 + No. 031117



No. 014121




Accessories






No. 151299 / No. 576216

0,5 l oil / 1 l oil





014 748









014 748









YY= Year of manufacture
WW = Week of manufacture

**Resting position/ Ruheposition/ Position de repos/ Ruststand/
Posición de descanso/ Posizione di riposo/ Posição de des-
canso/ Pozycja spoczynku/ Klidová poloha/ Nyugalmi állapot/
Положение в нерабочем состоянии/ Θέση αδράνειας/ Hviles-
tilling/ Viloläge/ Hvileposisjon/ Lepoasento/ Položaj mirovanja/
Pokojuvá poloha/ Položaj mirovanja/ وضع السكون / Ramybės
padėtis/ Ooteasend/ Miera stāvoklis/ Hvíldarstaða**



haubold®

ITW CONSTRUCTION PRODUCTS EUROPE

Code 031117 (06/2021)

www.spitpaslode.com