Product datasheet

OSRAM

ORIGINAL - METAL BASE -

Original spare part





The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Product datasheet

Technical data

Product information

Order reference	3796	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data


Power input	2 W
Nominal voltage	12.0 V
Nominal wattage	2.00 W
Power input tolerance	±8 %
Test voltage	13.5 V

Photometrical data

Luminous flux	12.5 lm
Luminous flux tolerance	±25 %

Dimensions & weight





Length	23.9 mm
Diameter	9 mm
Product weight	1.84 g

Lifespan

Lifespan B3	300 h
Lifespan Tc	750 h

Additional product data

Base (standard designation)	BA9s
-----------------------------	------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	3796
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300891309	OSRA3796	-	-	-
4050300891316	OSRA3796	-	-	-
4050300891309	OSRA3796	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891309	ORIGINAL - METAL BASE 3796	Unpacked 1	24 mm x 10 mm x 10 mm	0.00 dm ³	2.84 g
4050300891316	ORIGINAL - METAL BASE 3796	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	29.40 g
4008321095718	ORIGINAL - METAL BASE 3796	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	176.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















