

PRODUCT-DETAILS

ISL-C 600

ISL-C 600 Insulation Monitoring Device



Informations générales

Extension du type de produit	ISL-C 600
Code de produit	2CSM656000R1500
EAN	8012542943006
Description courte	ISL-C 600 Insulation Monitoring Device
Description longue	ISL-C 6000 is an insulation monitoring device for ac circuits

Technique

Tension	60 ... 760 V AC
Rated Control Supply Voltage (U _s)	(50 Hz) 100...240 V (60 Hz) 100...240 V
Model Number	Basic device
Délai (T)	Release 0...5 second [unit of time]
Options Provided	AC network

Environnement

Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	9AKK108467A8682

Informations environnementales	See RoHS Information
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	105 mm
Produit Hauteur Net	0.090 m
Produit Longueur Net	44 mm
Poids net	0.500 kg

Commande

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	0.5 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	9AKK108467A8682
--------------------------------	-----------------

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Downloads Préférés

Fiche produit, informations techniques	9AKK106930A8017
--	-----------------

Classifications

ETIM 8	EC001449 - Device for monitoring of safety-related circuits
ETIM 9	EC001449 - Device for monitoring of safety-related circuits
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	90278099
eClass	V11.0 : 27371819

Catégories

Produits basse tension → Appareillage modulaire et parafoudres → Protection and Safety Devices → Industrial Insulation Monitoring Devices

