

DSL-1258-G0M1C

Sensor/actuator cable

PLUG CONNECTORS AND CABLES





Ordering information

Туре	Part no.
DSL-1258-G0M1C	6057015

Other models and accessories → www.sick.com/Sensor_actuator_cable




Detailed technical data

Technical specifications

reemiear epeemeare		
Connection type head A		Female connector, M12, 5-pin, straight
Connection type head B		Male connector, M12, 8-pin, straight
Connector material		TPU
Connector color		Black
Locking nut material		Zinc die-cast, nickel-plated
Tightening torque		0.6 Nm
Cable		0.1 m, 5-wire, PUR, halogen-free
Jacket material		PUR, halogen-free
Jacket color		Black
Cable diameter		5 mm
Conductor cross section		0.34 mm ²
Shielding		Unshielded
Bending radius		
	Flexible use	> 10 x cable diameter
	Stationary position	> 5 x cable diameter
Bending cycles		≥ 2,000,000
Reference voltage		
		≤ 30 V
Current loading		≤ 2 A
Traversing speed		3.3 m/s
Travelling distance		5 m
Acceleration		≤ 5 m/s²
Signal type		Sensor/actuator cable
Application		Zones with oils and lubricants Drag chain operation
Authorizations		UL
Enclosure rating		IP67
Operating temperature		
	Flexible use	-25 °C +80 °C
	Stationary position	-50 °C +80 °C

Head	-25 °C +80 °C		
Classifications			
ECLASS 5.0	19030312		
ECLASS 5.1.4	19030312		
ECLASS 6.0	27060304		
ECLASS 6.2	27060304		
ECLASS 7.0	27060304		
ECLASS 8.0	27060304		
ECLASS 8.1	27060304		
ECLASS 9.0	27060304		
ECLASS 10.0	27060304		
ECLASS 11.0	27060304		
ECLASS 12.0	27060304		
ETIM 5.0	EC000830		
ETIM 6.0	EC000830		
ETIM 7.0	EC003249		
ETIM 8.0	EC003249		
UNSPSC 16.0901	26121604		

Dimensional drawing (Dimensions in mm (inch))



SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com

