

PRODUCT-DETAILS

# 6494-500

## Extension Module



### Informations générales

Extension du type de produit	6494-500
Code de produit	2CKA006499A0002
EAN	4011395232033
Description courte	Extension Module
Description longue	For transmitting different control commands via a single conductor wire. For devices with intelligent extension input. For operation via conventional push-buttons 2020 US and 2021/6 U. For operation via conventional 2gang push-buttons 2020 US-205 and 2021/6/6 U. For universal attachment or installation. For installation in (deep) flush-mounted boxes to German Standard DIN 49073. Including compact connecting terminal for cable connection. Cable length: approx. 80 mm.

### Installation

Instructions et manuels	No document needed
-------------------------	--------------------

### Technique

Fiche produit, informations techniques	No document needed
Tension nominale (U <sub>r</sub> )	110 ... 230 V

Auxiliary Voltage AC/DC	110 V AC/DC 230 V AC/DC
Fréquence assignée (f)	50 ... 60 Hz
Type d'accessoire	Seal
Type de montage	Flush Mounted
Accessories Available	Oui
Longueur du câble	0.08 m
Application Function	Electrical Load and Light Control

## Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5885
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Produit Largeur Net	60 mm
Produit Hauteur Net	60 mm
Produit Longueur Net	25 mm
Poids net	12.3 g
Profondeur d'encastrement (t <sub>2</sub> )	25 mm

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA200000E5885
--------------------------------	-----------------

## Classifications

ETIM 8	EC002649 - Accessories/spare parts for domestic switching devices
ETIM 9	EC002649 - Accessories/spare parts for domestic switching devices
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 99
eClass	V11.0 : 27144076

## Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CKA006800A2741	Presence Detector 12 m 2300 W	6819/31-24-500	1	piece
2CKA006800A2739	Presence Detector 12 m 200 W	6817/32-24-500	1	piece
2CKA006800A2743	Presence Detector 12 m 200 W	6817/33-24-500	1	piece
2CKA006800A2747	Presence Detector 12 m DALI 1380 W	6819/35-24-500	1	piece
2CKA006800A2797	Presence Detector 24 m 2300 W	6819/50-24-500	1	piece
2CKA006800A2745	Presence Detector 30 m 2300 W	6819/51-24-500	1	piece
2CKA006800A2749	Presence Detector 30 m DALI 1380 W	6819/55-24-500	1	piece
2CKA006800A2733	Presence Detector 8 m 2300 W	6819/60-24-500	1	piece
2CKA006800A2737	Presence Detector 8 m 200 W	6817/62-24-500	1	piece
2CKA006800A2803	Presence Detector 12 m 200 W with Sealing Ring	6817/93-204-500	1	piece
2CKA006800A2769	Presence Detector 12 m 2300 W	6819/30-183-500	1	piece
2CKA006800A2775	Presence Detector 12 m 2300 W	6819/31-183-500	1	piece
2CKA006800A2773	Presence Detector 12 m 200 W	6817/32-183-500	1	piece
2CKA006800A2777	Presence Detector 12 m 200 W	6817/33-183-500	1	piece
2CKA006800A2781	Presence Detector 12 m DALI 1380 W	6819/35-183-500	1	piece
2CKA006800A2799	Presence Detector 24 m 2300 W	6819/50-183-500	1	piece
2CKA006800A2779	Presence Detector 30 m 2300 W	6819/51-183-500	1	piece
2CKA006800A2783	Presence Detector 30 m DALI 1380 W	6819/55-183-500	1	piece
2CKA006800A2767	Presence Detector 8 m 2300 W	6819/60-183-500	1	piece
2CKA006800A2771	Presence Detector 8 m 200 W	6817/62-183-500	1	piece
2CKA006800A2805	Presence Detector 12 m 200 W with Sealing Ring	6817/93-183-500	1	piece

## Catégories

Produits basse tension → Wiring Accessories - StandAlone Electronics → Presence Detector → Accessories

