

PRODUCT-DETAILS

# MSA-F-1.1.1-884

## MSA-F-1.1.1-884 Mov. detector/actuator 1g



### Informations générales

Extension du type de produit	MSA-F-1.1.1-884
Code de produit	2CKA006220A0616
EAN	4011395204498
Description courte	MSA-F-1.1.1-884 Mov. detector/actuator 1g

Description longue

With select lens for detection with animal access. For automatic switching of ABB-free@home® actuators dependent on movement and brightness. Switch-off delay of the actuator can be programmed via the web interface of the System Access Point. For switching 127 V~/230 V~ consumers. With integrated switch actuator. Switching function is available also without prior programming (pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.

### Installation

Instructions et manuels	No document needed
-------------------------	--------------------

### Technique

Fiche produit, informations	No document needed
-----------------------------	--------------------

## techniques

Courant nominal ( $I_n$ )	10 A
Maximum Switching Power	2300 W
Nombre de sorties	1
Number of Channels	1
Compatible Bus Systems	free@home
Product Range	free@home
Design Range	63x63 future linear Busch-axcent Busch-axcent pur carat
Minimum Switching Time	Switch-On 30 second [unit of time]
Type de charge	ohmic
Type de montage	Flush Mounted
Finition de surface	Surface protection: Lacquered Surface finishing: Matt
Matériau	Thermoplastic
Type d'encastrement	vertical
Model Number	Movement sensor
RAL Number	RAL 9016 - Blanc signalisation
Couleur	studio white matt
Nombre de batteries	0
Application Function	Electrical Load and Light Control

---

**Environnement**


---

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5228
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

**Dimensions**


---

Produit Largeur Net	71 mm
Produit Hauteur Net	71 mm
Produit Longueur Net	56 mm
Poids net	0.16 kg
Profondeur d'encastrement ( $t_2$ )	32 mm

---

**Commande**


---

ID du produit remplacé

6220-0-0616

---

## Certificats et Déclarations (Numéro de document)

---

Déclaration de Conformité  
- CE

2CKA200000E5228

---

## Classifications

---

ETIM 8	EC001582 - Movement sensor for bus system
ETIM 9	EC001582 - Movement sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143144

---

---

## Catégories

---

Produits basse tension → Home and Building Automation → free@home → User Operation → Solo → Motion Detectors

