


PRODUCT-DETAILS

SB/U12.0.1-83

SB/U12.0.1-83 12f. Control element, aluminium silver



Informations générales

Extension du type de produit	SB/U12.0.1-83
Code de produit	2CKA006330A0080
EAN	4011395299159
Description courte	SB/U12.0.1-83 12f. Control element, aluminium silver
Description longue	With integrated KNX bus coupler. With labelling field. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. Push switch function: switching / dimming / blind / sending values / scenes etc. With integrated temperature sensor. Number of bus subscribers: 1

Installation

Instructions et manuels	2CKA000073BB9649
-------------------------	------------------

Technique

Fiche produit, informations techniques	No document needed
Number of Actuation Points	12

Compatible Bus Systems	KNX (TP)
Product Range	KNX
Design Range	tenton
Type de montage	Flush Mounted Surface Mounted
Finition de surface	Surface protection: Lacquered, Surface finishing: Matt
Matériau	Plastic
RAL Number	RAL 9006 - Aluminium blanc
Couleur	aluminium silver
Poids de la batterie	0 g
Application Function	Blind / Shutter / Shading Control Electrical Load and Light Control Room Climate Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	2CKA200000E7888
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	90.1 mm
Produit Hauteur Net	167.1 mm
Produit Longueur Net	44.2 mm
Poids net	156.9 g
Profondeur d'encastrement (t ₂)	30.7 mm

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E4158
--------------------------------	-----------------

Classifications

ETIM 8	EC000672 - Touch sensor for bus system
ETIM 9	EC000672 - Touch sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143138

Catégories

Produits basse tension → Home and Building Automation → KNX → User Operation → ABB-Tenton® → 12 fold

+	Light 1	Light 2	-
+	Light 3	Light 4	-
+	Scene 1	Scene 2	-
+	Scene 3	Scene 4	-
+	Music 1	Music 2	-
+	Room 1	Room 2	-
+	Room 3	Room 4	-