

### ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK526150R0000

Modular Terminal Blocks, Ground, Screw Clamp Terminal Block, Green & Yellow, Product Spacing 1.024 in [26 mm], 2 Position, DIN

Rail, ENTRELEC SNK

View on TE.com >



Connectors > Terminal Blocks & Strips > Modular Terminal Blocks



Block Function: Ground

Modular Terminal Block Product Type: Screw Clamp Terminal Block

Rated Cross Section: 95 mm<sup>2</sup>

Primary Product Color: Green & Yellow

### **Features**

#### Product Type Features

Product Type Features	
Modular Terminal Block Product Type	Screw Clamp Terminal Block
Configuration Features	
Gauge Type	B12
Number of Levels	1
Number of Circuits	1
Block Function	Ground
Number of Positions	2
Electrical Characteristics	
Impulse Withstanding Voltage Rating (IEC)	8000 V
Dielectric Test Voltage	3500 V
Short-Time Withstanding Current Rating @ 1s	11400 A
Body Features	
Product Weight	278 g[10.94 oz]
Primary Product Color	Green & Yellow
Mechanical Attachment	
DIN Rail Mounting Type	TH35-15

DIN Rail

Connector Mounting Type



Housing Material	Polyamide
Dimensions	
Main Circuit Capacity - 1 Rigid Stranded Conductor per Screw Clamp	2 – 0000 AWG
Main Circuit Capacity - 1 Flexible Conductor per Screw Clamp	35 – 95 mm²
Wire Stripping Length	26 mm[1.024 in]
Main Circuit Capacity - 1 Insulated Ferrule per Screw Clamp	35 – 50 mm²
Main Circuit Capacity - 1 Non-Insulated Ferrule per Screw Clamp	35 – 50 mm²
Tool Size	6 mm[.236 in]
Product Depth	85.2 mm
Product Length	85.2 mm[3.35 in]
Product Height	87 mm
Rated Cross Section	95 mm²
Product Spacing	26 mm[1.024 in]
Usage Conditions	
Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
Installation Temperature Range	-5 - 40 °C[23 - 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts

















# Also in the Series | ENTRELEC SNK







# Customers Also Bought























### **Documents**

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK526150R0000\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK526150R0000\_C.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK526150R0000\_C.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**ENTRELEC Terminal Block - Master Catalog** 

English

ZS95-PE

English

Modular Terminal Blocks, Ground, Screw Clamp Terminal Block, Green & Yellow, Product Spacing 1.024 in [26 mm], 2 Position, DIN Rail, ENTRELEC SNK



**SNK SERIES TERMINAL BLOCKS** 

English

**ENTRELEC Terminal Blocks Catalogue (RUS)** 

**Essential Entrelec Terminal Blocks** 

French

**Essential Entrelec Terminal Blocks** 

English

Agency Approvals

ZK-ZS\_ATEX\_1SND225112U1006-C-TE

English