

PRODUCT-DETAILS

NTI/Z 28.30.1

NTI/Z28.30.1 Commissioning Power Supply, 28 V DC, 30 mA



Informations générales

Extension du type de produit	NTI/Z 28.30.1
Code de produit	2CDG110096R0011
EAN	4016779663168
Description courte	NTI/Z28.30.1 Commissioning Power Supply, 28 V DC, 30 mA
Description longue	The device is used for on site commissioning of KNX devices should KNX system voltage be unavailable. The most important functions of a KNX device with manual operation can be tested.

Installation

Instructions et manuels	2CDC501040D0201
-------------------------	-----------------

Technique

Fiche produit, informations techniques	2CDC501040D0201
Auxiliary Voltage AC/DC	110 ... 230 V AC
Tension de sortie (U_{out})	24 V DC
Buffer Voltage	Non
Output Current Maximum (I_{out})	0.03 A

Power Loss	1 W
Nombre de sorties	1
Nombre de LED	1
Number of Supplied Lines	1
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Type de montage	Accessory
Manual Operation	Non
Couleur	light grey
Nombre de batteries	0

Environnement

Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	2CDK501012D2701
REACH Declaration	9AKK107492A1906
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	55 mm
Produit Hauteur Net	25.5 mm
Produit Longueur Net	55 mm
Poids net	0.12 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CDK501012D2701
--------------------------------	-----------------

Classifications

ETIM 8	EC000675 - Power supply for bus system
ETIM 9	EC000675 - Power supply for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8504 40 95
UNSPSC	39121004
eClass	V11.0 : 27143114
Code de catégorie granulaire IDEA (IGCC)	4127 >> Power supply units
Code de classification d'objet	A

Catégories

Produits basse tension → Home and Building Automation → KNX → Power Supply → KNX Power Supplies

