


PRODUCT-DETAILS

6854 AGM-201-500

Outdoor Movement Detector MasterLINE brown



Informations générales

Extension du type de produit	6854 AGM-201-500
Code de produit	2CKA006800A2549
EAN	4011395150832
Description courte	Outdoor Movement Detector MasterLINE brown
Description longue	Electronic movement detector for detecting thermal motion. With display for detection and operation mode. With ground surveillance. With high-quality lens for optimum detection. Adjustment of detection range via rotary control element. Surveillance density: 25 sectors with 100 switching segments. With integrated dismantling protection. With brightness-independent test mode for evaluating the detection zone. Additional possibility for switch-on via normally open push-button switch. Switch-off delay option: 1 / 3 or 5 min.

Installation

Instructions et manuels	DEBJE-0073-1-8044
-------------------------	-------------------

Technique

Fiche produit, informations techniques	No document needed
Tension nominale (U _r)	230 V

Auxiliary Voltage AC/DC	230 V AC/DC
Type de tension	AC
Courant nominal (I_n)	6 A
Current Range	Maximum 80 A
Fréquence (f)	50...60 Hz
Fréquence assignée (f)	50 ... 60 Hz
Maximum Switching Power	1380 W
Power Loss	1 W
Nombre de sorties	1
Conception	MasterLINE
Minimum Switching Time	Switch-On 60 second [unit of time]
Type de raccordement	Cable Clamp
Type de charge	ohmic, capacitive and inductive loads
Type de montage	Surface Mounted
Sensor Type	Passive infrared
Finition de surface	Surface protection: Untreated Surface finishing: Matt
Matériau	Thermoplastic
Type d'encastrement	Wall mounted installation
Flux lumineux	3 ... 150 lx
Model Number	Movement sensor
RAL Number	RAL 8017 - Brun chocolat
Couleur	brown
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -25 ... +55 °C
Indice de protection	IP55
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E6401
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	125 mm
Produit Hauteur Net	33 mm
Produit Longueur Net	100 mm
Poids net	0.36 kg

Commande

ID du produit remplacé

6800-0-2549

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité
- CE

2CKA100000E2017

Classifications

ETIM 8	EC000133 - Movement sensor complete
ETIM 9	EC000133 - Movement sensor/presence detector complete
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27144007

Catégories

Produits basse tension → Wiring Accessories - StandAlone Electronics → Outdoor Movement Detector → Professional Series

