

PRODUCT-DETAILS

M12-C1612

M12-C1612 Cable



Informations générales

Extension du type de produit	M12-C1612
Code de produit	2TLA020056R5400
EAN	7350024452518
Description courte	M12-C1612 Cable
Description longue	M12-C1612 is a shielded cable with straight M12-5 male and female connectors. The five conductors have a cross section of 0.34 mm ² . The shield is connected to pin 3 (0V) on the male connector. The jacket is made of black PVC. The length of the cable is 16 meters.

Commande

Quantité minimum	1 pièce
Code douanier	8544429090

Downloads Préférés

Fiche produit, informations techniques	2TLC010081L0201
Instructions et manuels	2TLC010081L0201
Marketing Video	9AKK10103A4645 2TLC010018N0201

Dimensions

Produit Longueur Net	16 m
Produit Hauteur Net	14 mm
Produit Largeur Net	14 mm
Poids net	0.764 kg

Technique

Adapté pour

Orion1-4-14-015-B
 Orion1-4-14-030-B
 Orion1-4-14-045-B
 Orion1-4-14-060-B
 Orion1-4-14-075-B
 Orion1-4-14-090-B
 Orion1-4-14-105-B
 Orion1-4-14-120-B
 Orion1-4-14-135-B
 Orion1-4-14-150-B
 Orion1-4-14-165-B
 Orion1-4-14-180-B
 Orion1-4-30-015-B
 Orion1-4-30-030-B
 Orion1-4-30-045-B
 Orion1-4-30-060-B
 Orion1-4-30-075-B
 Orion1-4-30-090-B
 Orion1-4-30-105-B
 Orion1-4-30-120-B
 Orion1-4-30-135-B
 Orion1-4-30-150-B
 Orion1-4-30-165-B
 Orion1-4-30-180-B
 Orion2-4-K2-050-B
 Orion2-4-K3-080-B
 Orion2-4-K4-090-B
 Orion2-4-K4-120-B
 Orion3-4-K1C-050-B
 Orion3-4-K2C-080-B
 Orion3-4-K2C-090-B
 Orion3-4-K2C-120-B
 Orion1-4-14-030-E
 Orion1-4-14-045-E
 Orion1-4-14-060-E
 Orion1-4-14-075-E
 Orion1-4-14-090-E
 Orion1-4-14-105-E
 Orion1-4-14-120-E
 Orion1-4-14-135-E
 Orion1-4-14-150-E
 Orion1-4-14-165-E
 Orion1-4-14-180-E
 Orion1-4-30-030-E
 Orion1-4-30-045-E
 Orion1-4-30-060-E
 Orion1-4-30-075-E
 Orion1-4-30-090-E
 Orion1-4-30-105-E
 Orion1-4-30-120-E
 Orion1-4-30-135-E
 Orion1-4-30-150-E
 Orion1-4-30-165-E
 Orion1-4-30-180-E
 Orion2-4-K2-050-E
 Orion2-4-K3-080-E
 Orion2-4-K4-090-E
 Orion2-4-K4-120-E
 Orion3-4-K1C-050-E
 Orion3-4-K2C-080-E
 Orion3-4-K2C-090-E
 Orion3-4-K2C-120-E
 JSHD4-1-AC
 Adam DYN-Info M12-5
 Adam DYN-Status M12-5
 Adam DYN-Reset M12-5
 Adam OSSD-Info M12-5
 Adam OSSD-Reset M12-5
 JSTD25F

OCB-2A
OCB-3A
OCB-4A

Environnement

REACH Declaration	2CMT2022-006480
Informations RoHS	2CMT2022-006499
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Certificats et Déclarations (Numéro de document)

Certificat ecULus	2TLC172257D0201
Declaration of Conformity - CCC	No declaration needed
Déclaration de Conformité - CE	No declaration needed
Declaration of Conformity - UKCA	No declaration needed
Certificat UL	2TLC172257D0201

Classifications

E-Number (Sweden)	3833785
ETIM 6	EC001855 - câble confectionné pour détecteur/actionneur
ETIM 7	EC001855 - Sensor-actuator patch cord
ETIM 8	EC001855 - Sensor-actuator patch cord
ETIM 9	EC001855 - Sensor-actuator patch cord
Code de classification d'objet	W
UNSPSC	26121603
eClass	V11.0 : 27060313

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Barrières immatérielles
 Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Câbles et connecteurs
 Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Optical Safety Devices Accessories
 Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Safety Sensors, Switches and Locks Accessories

