Part number

M7P 10.20





Surface mounting housing, V-TYPE series, with 2 levers, M20 cable entry, size "57.27"

Product description		
Product type	Surface mounting housing	
Series	V-TYPE	
Closing type	With 2 levers	
Size	Size 57.27	
Cable entry	With cable entry M20	
Technical data		
IP degree of protection	IP66 / IP67 / IP69	
Further technical details		
Weight	264,00 g	
Operating temperature range (min, max)	-40°C+125°C	


Material properties	
Other materials	Lever: Stainless steel Gasket: NBR
Colour	RAL 7040 grey
RoHs conformity	Compliant
China RoHs - EFUP	E
REACH SVHC substances	No
Approvals / Standards	
Certifications	DNV, BV
UL	ECBT2
cUL	ECBT8
General ordering information	
EAN13 code	8015747093590
eCl@ss 8.1	27440202
ETIM 7.0	EC000437
Packaging Information	
Packaging length	190,00 mm
Packaging height	140,00 mm
Packaging width	290,00 mm
Packaging weight	2,84 kg
Packaging volume	7,71 dm³
Packaging description	Carton box
Packaging quantity	10 Pcs
Packaging EAN code	8015747249096
Sub-packaging weight	1,42 kg
Sub-packaging description	Plastic packaging
Sub-packaging quantity	5 Pcs
Sub-packaging EAN barcode	8015747178280

Part number

M7P 10.20




Catalogue drawings



C7AP/M7AP 16

C7AP/M7AP 24



45

45 57

142,5

132 144

Notes

C7P/M7P:

Due to the vertical closing movement, the new lever offers an IP66/IP67 protection (according to EN 60529) when fitted with a complete and coupled connector and used with ILME standard hoods in die cast aluminum with pegs (without adaptor).

Dimensions shown in mm are not binding and may be changed without notice.