

PRODUCT-DETAILS

83350-500-02

83350-500-02 Telephone Gateway



Informations générales

| | |
|------------------------------|--------------------------------|
| Extension du type de produit | 83350-500-02 |
| Code de produit | 2TMA210160H0006 |
| EAN | 6955891805491 |
| Description courte | 83350-500-02 Telephone Gateway |

Description longue

For connecting an ABB-Welcome system with the analog inputs of a private branch exchange (PBX). Permits the use of a telephone (e.g., DECT, ISDN, mobile telephone) as indoor door communication station. Taking door calls, opening the door and switching the light via the telephone keypad (DTMF). Switching between the freely-programmable target numbers via the telephone keypad (DTMF). PIN protection for all configuration settings. For ABB-Welcome systems with up to 99 appartments. Programming via the telephone keypad (DTMF) or via web browser (requires IP gateway 83342-5..). 2 screw-type terminals for the analog a'/b' connection towards the private branch exchange (PBX).

Installation

| | |
|--------------------------|--------------------|
| Instructions et manuels | No document needed |
| Installation Instruction | Bus system |

Technique

| | |
|-----------------------------|--------------------|
| Fiche produit, informations | No document needed |
|-----------------------------|--------------------|

techniques

| | |
|----------------------------|------------|
| Fonction | Distribute |
| Interface de communication | DECT |
| Type de montage | DIN-Rail |
| Matériau | Plastic |
| Nombre de batteries | 0 |

Environnement

| | |
|---|-----------------------------------|
| Statut RoHS | Following EU Directive 2011/65/EU |
| Informations RoHS | 2TMD081215X2102 |
| REACH Declaration | No declaration needed |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Dimensions

| | |
|-------------------------------------|----------|
| Width in Number of Modular Spacings | 4 |
| Produit Largeur Net | 0.072 m |
| Produit Hauteur Net | 0.065 m |
| Produit Longueur Net | 0.09 m |
| Poids net | 0.145 kg |

Certificats et Déclarations (Numéro de document)

| | |
|--------------------------------|-----------------|
| Déclaration de Conformité - CE | 2TMD082213X0007 |
|--------------------------------|-----------------|

Classifications

| | |
|----------------|---|
| ETIM 8 | EC001349 - Additional device for door communication |
| ETIM 9 | EC001349 - Additional device for door communication |
| Catégorie DEEE | 6. Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 85177090 |

Catégories

Produits basse tension → Home and Building Automation → Portiers vidéo → Welcome → System Devices



360