

PRODUCT-DETAILS

# UK612NB

## UK612NB Consumer unit , 347 mm x 362 mm x 97 mm, Flush mounting, 12 SU, IP30, Without Door



### Informations générales

Extension du type de produit	UK612NB
Code de produit	2CPX031374R9999
EAN	4011617313748
Description courte	UK612NB Consumer unit , 347 mm x 362 mm x 97 mm, Flush mounting, 12 SU, IP30, Without Door
Description longue	Consumer unit, series UK600, Expansion option: Lateral and bottom, for the internal use, without closed cover without door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, IK code 7, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 850°C, in RAL 9016, enclosure out of thermoplast, without frame and without door, cable entry on top via cable entry slide part is pre-punched, on bottom via cable entry slide part is pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 347 x 362 x 97, Space units 12, Row distance in mm: 125, covers out of Plastic, 90 degree press and turn closure, with N/PE Quick-terminal, cable fastening rail integrated, assembled with device carrier, device support removable

### Technique

Normes et standards	DIN 43871
Tension	Maximum 400 V
Operational Voltage	400 V
Courant nominal ( $I_n$ )	63 A
Power Loss	$\Delta t = 30K 31 W$
Number of Rows	1

Configuration Type	assembled with device carrier
Cover Plate Type	optional
Type de boîtier	Consumer unit
Type de montage	Flush mounting
Door Type	Without Door
Qualité du matériau	Plastic
Style de cache	Closed
DIN Place Units	12
RAL Number	RAL 9016 - Blanc signalisation
Couleur	Traffic white
Type de borne	Quick-Terminal

## Environnement

Indice de protection	IP30
Classe de protection	Isolated (Class II)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CPC100018X0201
REACH Declaration	2CPC100005X0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Width in Number of Modular Spacings	12
Produit Largeur Net	362 mm
Produit Hauteur Net	347 mm
Produit Longueur Net	97 mm
Poids net	1.481 kg
Profondeur d'encastrement (t <sub>2</sub> )	75 mm
Schéma dimensionnel	2CPC000001D0201 2CPC000002D0201 2CPC000007D0201

## Commande

Emballage Niveau 1 Unités	pack 1 pièce
Emballage Niveau 1 Poids	1.54 kg
E-Number (Sweden)	2201237

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CPC100018X0201
--------------------------------	-----------------

## Installation

Instructions et manuels	2CPC129380M5601
-------------------------	-----------------

## Downloads Préférés

Fiche produit, informations techniques	2CPC000001C0101 2CPC000002C0101
Building Information Modeling - BIM	9AKK107046A7947

## Classifications

ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142409
Code de classification d'objet	U

## Accessories

Identifiant	Description	Type	Quantity	Unit Of Measure
2CPX031434R9999	UZ91P4 Enclosure accessories	UZ91P4	1	piece
2CPX062745R9999	ZK50BT Terminals	ZK50BT	1	piece
2CPX030892R9999	ZK507 Terminals	ZK507	1	piece
2CPX031413R9999	UZT4 Enclosure accessories	UZT4	1	piece
2CPX031412R9999	UZT3 Enclosure accessories	UZT3	1	piece
2CPX061178R9999	ZX29 Interior fitting system	ZX29	1	piece
2CPX061177R9999	ZE225 Customized electrical components	ZE225	1	piece
2CPX031408R9999	UZB2 Enclosure accessories	UZB2	1	piece
2CPX061211R9999	ZE227 Customized electrical components	ZE227	1	piece
2CPX031402R9999	AP612 Enclosure accessories	AP612	1	piece
2CPX031086R9999	BL611 Trim frame with door	BL611	1	piece
2CPX031081R9999	BL610 Trim frame with door	BL610	1	piece
2CPX031427R9999	ZE224 Customized electrical components	ZE224	1	piece
2CPX031409R9999	UZB3 Enclosure accessories	UZB3	1	piece

## Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Petit coffret modulaires → Tableaux d'abonné encastrés → UK600

