

PRODUCT-DETAILS

# KPR2-100R

## KPR2-100R Reset push button



### Informations générales

Extension du type de produit	KPR2-100R
Code de produit	1SFA616161R1001
EAN	7320500548059
Description courte	KPR2-100R Reset push button

Description longue	<p>The KPR2-100R Reset push button is: Without shaft - Momentary - Extended - Red - Non-illuminated - Black Plastic - RUECKSTELLTASTE KPR2-100R HOCH OHNE STOESSEL ROT</p> <p>This Reset push button is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p>
--------------------	--

### Commande

Quantité minimum	10 pièce
Code douanier	8536501999

### Downloads Préférés

Fiche produit, informations techniques	1SFC151007C02__
--	-----------------

---

## Dimensions

---

Produit Largeur Net	0.03 m
Produit Hauteur Net	0.03 m
Produit Longueur Net	0.04 m
Poids net	0.015 kg

---



---

## Technique

---

Température de l'air ambiant	Operation -25 ... +70 °C Storage -40 ... +85 °C
Couleur	Red
Actuator Type	Extended
Bezel Material	Black Plastic
Voyant	Non-illuminated
Fonction	Momentary
Sub-Function	Without shaft
Indice de protection	Front IP66
Classe de protection (NEMA)	Type1 Type12 Type13 Type3R Type4 Type4X
Durabilite mecanique	2 million

---



---

## Environnement

---

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006479
Informations RoHS	2CMT2015-005453
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
Catégorie DEEE	Product Not in WEEE Scope

---



---

## Certificats et Déclarations (Numéro de document)

---

Certificat ecULus	9AKK107046A9924
Déclaration de Conformité - CE	2CMT2015-005453
Declaration of Conformity - UKCA	2CMT2020-006121

---



---

## Emballage

---

Emballage Niveau 1 Unités	bag 10 pièce
Emballage Niveau 1 Largeur	0.135 m
Emballage Niveau 1 Longueur	0.145 m

---

Emballage Niveau 1 Hauteur	0.032 m
Emballage Niveau 1 Poids	0.153 kg
Emballage Niveau 1 EAN	7320500248829

---

## Classifications

---

Code de classification d'objet	S
ETIM 6	EC000221 - élément frontal pour contact à poussoir
ETIM 7	EC000221 - Front element for push button
ETIM 8	EC000221 - Front element for push button
eClass	V11.0 : 27371210
UNSPSC	39122216
Code de catégorie granulaire IDEA (IGCC)	5212 >> Push button for distribution board
E-Number (Finland)	2338475
E-Number (Norway)	4372553

---

## Catégories

---

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Unités de commande et de signalisation → Commande et signalisation → KPR Reset Pushbutton

