


PRODUCT-DETAILS

# TKK/U.3.1-CG

## TKK/U.3.1-CG Card holder uni.



### Informations générales

Extension du type de produit	TKK/U.3.1-CG
Code de produit	2CKA006300A1588
EAN	4011395231258
Description courte	TKK/U.3.1-CG Card holder uni.

Description longue	Ordering possible only in connection with the design ID. For inserting and evaluating of mifare RF cards. The icons and/or texts are configured by means of a web configuration tool. With integrated KNX bus coupler. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 with separate 24 V auxiliary power supply
--------------------	---

### Installation

Instructions et manuels	No document needed
-------------------------	--------------------

### Technique

Fiche produit, informations	No document needed
-----------------------------	--------------------

## techniques

Tension nominale ( $U_r$ )	12 ... 24 V
Auxiliary Voltage AC/DC	12 V 24 V AC/DC
Courant nominal ( $I_n$ )	4 A
Nombre de sorties	1
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Design Range	tacteo
Type de charge	AC/DC
Type de montage	Surface Mounted
Finition de surface	Surface protection: Untreated Surface finishing: Glossy
Matériau	Glass
Model Number	Chip card
Poids de la batterie	0 g
Application Function	Hospitality

---

**Environnement**

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5491
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

**Dimensions**

Produit Largeur Net	86 mm
Produit Hauteur Net	115 mm
Produit Longueur Net	34 mm
Poids net	0.269 g

---

**Certificats et Déclarations (Numéro de document)**

Déclaration de Conformité - CE	2CKA100000E4230
--------------------------------	-----------------

---

**Classifications**

ETIM 8	EC000782 - Access control unit for bus system
ETIM 9	EC000782 - Access control unit for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)

CN8

8536 50 80

eClass

V11.0 : 27143141

---

## Catégories

---

Produits basse tension → Home and Building Automation → KNX → User Operation → ABB tacteo® → Transponder Readers and Card Holders

