

PRODUCT-DETAILS

# MP1-10R

## MP1-10R Pushbutton



### Informations générales

|                              |   |
|------------------------------|---|
| Extension du type de produit | MP1-10R   |
| Code de produit              | 1SFA611100R1001   |
| EAN                          | 7320500260975   |
| Description courte           | MP1-10R Pushbutton  |
| Description longue           | <p>The MP1-10R Pushbutton is: Momentary - Flush - Red - Non-illuminated - Black Plastic - No contact block</p> <p>This Pushbutton is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p> |

### Commande

|                  |            |
|------------------|------------|
| Quantité minimum | 10 pièce   |
| Code douanier    | 8536501999 |

### Downloads Préférés

|  |                 |
|--|-----------------|
| Fiche produit, informations techniques | 1SFC151007C02__ |
| Instructions et manuels                | 1SFC151011M0201 |

---

## Dimensions

|                      |          |
|----------------------|----------|
| Produit Largeur Net  | 0.029 m  |
| Produit Hauteur Net  | 0.029 m  |
| Produit Longueur Net | 0.033 m  |
| Poids net            | 0.011 kg |

---

## Technique

|                              |  |
|------------------------------|--|
| Température de l'air ambiant | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C     |
| Couleur                      | Red  |
| Actuator Type                | Flush  |
| Bezel Material               | Black Plastic  |
| Voyant                       | Non-illuminated  |
| Fonction                     | Momentary  |
| Indice de protection         | Front IP66   |
| Classe de protection (NEMA)  | Type1<br>Type12<br>Type13<br>Type3R<br>Type4<br>Type4X |
| Durabilite mecanique         | 2 million  |

---

## Environnement

|   |  |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658  |
| REACH Declaration                           | 2CMT2022-006479  |
| Informations RoHS                           | 2CMT2015-005452  |
| Statut RoHS                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Catégorie DEEE                              | Product Not in WEEE Scope  |

---

## Certificats et Déclarations (Numéro de document)

|                                  |                 |
|----------------------------------|-----------------|
| Certificat ecULus                | 9AKK107046A9925 |
| Déclaration de Conformité - CE   | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate               | E-14107         |

---

## Emballage

|                             |             |
|-----------------------------|-------------|
| Emballage Niveau 1 Unités   | bag 1 pièce |
| Emballage Niveau 1 Largeur  | 0.135 m     |
| Emballage Niveau 1 Longueur | 0.145 m     |
| Emballage Niveau 1 Hauteur  | 0.035 m     |

|                          |               |
|--------------------------|---------------|
| Emballage Niveau 1 Poids | 0.014 kg      |
| Emballage Niveau 1 EAN   | 7320500260975 |

## Classifications

|  |  |
|--|--|
| Code de classification d'objet           | S  |
| ETIM 6                                   | EC000221 - élément frontal pour contact à poussoir |
| ETIM 7                                   | EC000221 - Front element for push button           |
| ETIM 8                                   | EC000221 - Front element for push button           |
| eClass                                   | V11.0 : 27371210                                   |
| UNSPSC                                   | 39122216   |
| Code de catégorie granulaire IDEA (IGCC) | 5212 >> Push button for distribution board         |
| E-Number (Finland)                       | 2313600  |
| E-Number (Norway)                        | 4372001  |
| E-Number (Sweden)                        | 3715001  |

## Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Unités de commande et de signalisation → Commande et signalisation → MP Pushbutton

Produits et Systèmes Moyenne Tension → Service → Pièces détachées → Parts → All Spare Parts (Relays-SWG-CB)

