

PRODUCT-DETAILS

6811 EB-500

Presence Detector 6 m 2000 W



Informations générales

Extension du type de produit	6811 EB-500
Code de produit	2CKA006800A2517
EAN	4011395148037
Description courte	Presence Detector 6 m 2000 W
Description longue	For switching lighting systems that depend on brightness and movement. Detection range (installation height 3m, up to 6m in diameter). Low mounting height due to separate sensor/actuator concept. Continuously variable detection sensitivity. With brightness-independent test mode for evaluating the detection zone. With detection display in test mode. Ceiling installation using integrated spring bracket. Surveillance density: 19 sectors with 76 switching segments. Switch-off delay: approx. 1 sec - 15 min or short-time pulse adjustable.

Installation

Instructions et manuels	DEBJE-ba_0273_1_7248_6811_500
-------------------------	-------------------------------

Technique

Tension nominale (U _r)	230 V
Auxiliary Voltage AC/DC	230 V AC/DC

Current Range	Maximum 80 A
Fréquence (f)	50...50 Hz
Fréquence assignée (f)	50 Hz
Maximum Switching Power	2000 W
Power Loss	1.5 W
Plage de mesure	6 m
Nombre de sorties	1
Conception	Busch-Watchdog®
Minimum Switching Time	Switch-On 60 second [unit of time]
Type de charge	230 V incandescent lamps
Type de montage	Built-in
Sensor Type	Passive infrared
Finition de surface	Surface protection: Untreated Surface finishing: Matt
Matériau	Thermoplastic
Flux lumineux	10 ... 1000 lx
Model Number	Presence detector
RAL Number	RAL 9010 - Blanc pur
Couleur	alpine white
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation 0 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E6391
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	75 mm
Produit Hauteur Net	130 mm
Produit Longueur Net	150 mm
Poids net	176 g
Profondeur d'encastrement (t ₂)	77 mm

Commande

ID du produit remplacé	6800-0-2517
------------------------	-------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité
- CE

2CKA100000E1989

Classifications

ETIM 8	EC000133 - Movement sensor complete
ETIM 9	EC000133 - Movement sensor/presence detector complete
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27144007

Catégories

Produits basse tension → Wiring Accessories - StandAlone Electronics → Presence Detector → Basic Series

