



LL3-DL01

LL3

FIBERS

SICK
Sensor Intelligence.



Illustration may differ

Ordering information

| Type | Part no. |
|----------|----------|
| LL3-DL01 | 1068060 |

Other models and accessories → www.sick.com/LL3

Detailed technical data

Features

| | |
|--|----------------------------|
| Device type | Fibers |
| Functional principle | Proximity system |
| For fiber-optic sensor | GLL170(T), WLL180 |
| Outer diameter, fiber-optic cable connection | 2.2 mm |
| Fiber-optic head design | Flat type |
| Fiber arrangement | Multi-fiber – fiber bundle |
| Core structure | Multi-fiber – fiber bundle |
| Angle of dispersion < 60° | No |
| Highly flexible/elastic fibers (bend radius 1–4 mm) | No |
| Adapter end sleeves required | No |
| Angle of dispersion | 60° |
| Integrated lens | No |
| Compatibility tip adapters | No |

Classifications

| | |
|-----------------------|----------|
| ECLASS 5.0 | 27270905 |
| ECLASS 5.1.4 | 27270905 |
| ECLASS 6.0 | 27270905 |
| ECLASS 6.2 | 27270905 |
| ECLASS 7.0 | 27270905 |
| ECLASS 8.0 | 27270905 |
| ECLASS 8.1 | 27270905 |
| ECLASS 9.0 | 27270905 |
| ECLASS 10.0 | 27270905 |
| ECLASS 11.0 | 27270905 |
| ECLASS 12.0 | 27270905 |
| ETIM 5.0 | EC002651 |
| ETIM 6.0 | EC002651 |
| ETIM 7.0 | EC002651 |
| ETIM 8.0 | EC002651 |
| UNSPSC 16.0901 | 39121528 |

Sensing ranges with GLL170

| | |
|---|-------|
| Operating mode 250 μs | 94 mm |
|---|-------|

Sensing ranges with GLL170T

| | |
|---|--------|
| Operating mode 50 μs | 77 mm |
| Operating mode 250 μs | 162 mm |

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is “Sensor Intelligence.”

WORLDWIDE PRESENCE:

Contacts and other locations –www.sick.com