

Quicknet™ HDQ Series High Density Fiber Optic Cassettes

- Mounts to standard 19" rack rails
- Low insertion loss of 0.5dB max, per optimized cassette and 0.75dB max. per standard cassette; ensures system meets IEEE 802.3ae max. channel loss specification of = 26dB
- Adapter housing colors follow TIA/EIA-568-C.3 suggested color identification scheme
- Connect together with high-density female MTP* cable assemblies as interconnection network
- Significantly reduce installation time and labor by eliminating field connector termination
- Factory terminated, assembled, and 100% tested
- Insertion loss data provided on every fiber cassette
- Lifetime traceability of test data to a Q.C. number
- 10Gig OM4 50/125um fiber cassettes are tested per IEEE 802.3ae 10 GbE to support network transmission speeds up to 10 Gb/s for link lengths up to 550 meters at 850 nm; backward compatible with all 50/125um (OM2) MPO or MTP system requirements

**F1RBZN****F1RCZN****F1ASZN****FQCRCM**

Part Number	Part Description	Std. Pkg. Qty.	Std. Ctn. Qty.
QuickNet™ HDQ Series High Density Fiber Optic Cassette - B Type			
F1RBZN-9608-10S	QuickNet™ HDQ Series High Density Fiber Optic Cassette; 1RU 96-fiber B-type labeling; 10Gb OM4 8-fiber MTP to LC Pre-terminated – standard polarity.	1	—
F1RBZN-9608-10F	QuickNet™ HDQ Series High Density Fiber Optic Cassette; 1RU 96-fiber B-type labeling; 10Gb OM4 8-fiber MTP to LC Pre-terminated – flipped polarity.	1	—
QuickNet™ HDQ Series High Density Fiber Optic Cassette - C Type			
F1RCZN-9612-10S	QuickNet™ HDQ Series High Density Fiber Optic Cassette; 1RU 96-fiber C-type labeling; 10Gb OM4 12-fiber MTP to LC Pre-terminated – standard polarity.	1	—
F1RCZN-9612-10F	QuickNet™ HDQ Series High Density Fiber Optic Cassette; 1RU 96-fiber C-type labeling; 10Gb OM4 12-fiber MTP to LC Pre-terminated – flipped polarity.	1	—
QuickNet™ HDQ Series High Density Fiber Optic Cassette - Angled			
F1ASZN-9612-10S	QuickNet™ HDQ Series High Density Fiber Optic Cassette; 1RU-Angled 96-fiber S-type labeling; 10Gb OM4 12-fiber MTP to LC Pre-terminated – standard polarity.	1	—
F1ASZN-9612-10F	QuickNet™ HDQ Series High Density Fiber Optic Cassette; 1RU-Angled 96-fiber S-type labeling; 10Gb OM4 12-fiber MTP to LC Pre-terminated – flipped polarity.	1	—
QuickNet™ Rear Cable Manager			
FQCRCM	Fiber QuickNet™ Rear Cable Manager. Manages up to 1 meter of slack for each of 16 MTP Interconnect Cables in support of QuickNet™ SFQ Cassettes, QuickNet™ HDQ Cassettes, or QuickNet™ MTP Cassettes. When using the FQCRCM with Panduit cabinets, be sure to order and install CNRT rails.	1	10