
# 1SET111007R0000 - ACTIVE

#### ENTRELEC

TE Internal #: 1SET111007R0000 Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 1.7 mm, 16 AWG Wire Size, 1.5 mm<sup>2</sup> Wire Size, .186 in [1.7 mm] Barrel Inside Diameter, Closed

#### View on TE.com >

#### Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Pin, Tab & Ferrule Terminal Type: Ferrule

Pin Diameter: 1.7 mm

Accepts Wire Insulation Diameter Range: 3.4 mm, 3.5 mm [.134 in, .138 in ]

Wire Size: 1.5 mm<sup>2</sup>

## Features

#### Product Type Features



Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Double Wire	No
Insulation Color	Black
Insulation Color Insulation Material	Black PP
Insulation Material	
Insulation Material Contact Features	PP
Insulation Material Contact Features Terminal Length	PP 8 mm[.312 in]
Insulation Material Contact Features Terminal Length Crimp Wire Pin, Tab & Ferrule Terminal Type	PP 8 mm[.312 in] Ferrule

**C** For support call+1 800 522 6752

Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 1.7 mm, 16 AWG Wire Size, 1.5 mm² Wire Size, .186 in [1.7 mm] Barrel Inside Diameter, Closed



Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
2-Wire Size	16 AWG
Strip Length	10 mm[.394 in]
Pin Diameter	1.7 mm
Accepts Wire Insulation Diameter Range	3.4 mm, 3.5 mm[.134 in][.138 in]
Wire Size	1.5 mm <sup>2</sup>
Barrel Inside Diameter	1.7 mm[.186 in]
Terminal Material Thickness	.15 mm[.005 in]
Overall Product Length	14 mm[.551 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Heavy Duty	No

## Packaging Features

Packaging Quantity	500
Packaging Method	Bag
Other	
Barrel Color	Black
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 1.7 mm, 16 AWG Wire Size, 1.5 mm<sup>2</sup> Wire Size, .186 in [1.7 mm] Barrel Inside Diameter, Closed



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 1.7 mm, 16 AWG Wire Size, 1.5 mm<sup>2</sup> Wire Size, .186 in [1.7 mm] Barrel Inside Diameter, Closed





## Customers Also Bought



## Documents

Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 1.7 mm, 16 AWG Wire Size, 1.5 mm<sup>2</sup> Wire Size, .186 in [1.7 mm] Barrel Inside Diameter, Closed



Product Drawings WF015-08-BK

English

Datasheets & Catalog Pages Infographic - entrelec ews-linecard

English

ENTRELEC - INSULATED WIRE END FERRULES

ENTRELEC - INSULATED WIRE END FERRULES

English

ENTRELEC - INSULATED WIRE END FERRULES

French

Essential Entrelec Terminal Blocks

French

**Essential Entrelec Terminal Blocks** 

English

Agency Approvals

UL

English