1SET111035R0000 ACTIVE

ENTRELEC

TE Internal #: 1SET111035R0000

Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 3.5 mm, 10


AWG Wire Size, 6 mm² Wire Size, .138 in [3.5 mm] Barrel Inside

Diameter, Closed

View on TE.com >



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Pin, Tab & Ferrule Terminal Type: Ferrule

Pin Diameter: 3.5 mm

Accepts Wire Insulation Diameter Range: 6.2 mm, 6.3 mm [.245 in, .249 in]

Wire Size: 6 mm²

Features

Product Type Features

Product Type reatures	
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Double Wire	No
Insulation Color	Yellow
Insulation Material	PP
Contact Features	
Terminal Length	12 mm[.468 in]
Crimp Wire Pin, Tab & Ferrule Terminal Type	Ferrule
Barrel Type	Closed
Terminal Plating Material	Tin



Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
2-Wire Size	10 AWG
Strip Length	14 mm[.551 in]
Pin Diameter	3.5 mm
Accepts Wire Insulation Diameter Range	6.2 mm, 6.3 mm[.245 in][.249 in]
Wire Size	6 mm ²
Barrel Inside Diameter	3.5 mm[.138 in]
Terminal Material Thickness	.2 mm[.007 in]
Overall Product Length	20 mm[.787 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Heavy Duty	No
Packaging Features	
Packaging Quantity	100
Packaging Method	Bag
Other	
Barrel Color	Yellow

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 539660-1
ADERENDHUELSEN (Ferrule) Crimp



TE Part # 1SNK508011R0000 ZS10-R1



TE Part # 1SNK508151R0000 ZS10-PE-R1



TE Part # 1SNK508310R0000 ZS10-ST



TE Part # 1SNK508315R0000 ZS10-S



TE Part # 1SNK508418R0000 ZS10-SF



TE Part # 1SNK508010R0000 ZS10



TE Part # 1SNK508150R0000 ZS10-PE



TE Part # 1SNK508311R0000 ZS10-ST-T4



TE Part # 1SNK508312R0000 ZS10-ST-1



TE Part # 1SNK708010R0000 **ZK6**



TE Part # 1SNK708011R0000 ZK6-3P





TE Part # 1SNK708150R0000 ZK6-PE



TE Part # 1SNK708151R0000 ZK6-PE-3P



TE Part # 1SNL308010R0000 DBL80



0,08-16

TE Part # 1SET191003R0000

FER-SE-HT



Customers Also Bought



TE Part #1SET411008R0000 WD-1-DP-GR2530



TE Part #1SET411022R0000 WD-1-DP-GR8060



TE Part #1SNK508412R0000 ZS4-SF1-R1



TE Part #1SNK522150R0000 ZS70-PE



TE Part #1SNK906350R0000 JB6-50



TE Part #1SNK916305R0000 JB16-5



TE Part #1SNL312510R0000 DBL125



TE Part #1SNL312530R0000 DBL125-3



TE Part #1SNL317531R0000 DBL175-C-3



Documents

Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 3.5 mm, 10 AWG Wire Size, 6 mm² Wire Size, .138 in [3.5 mm] Barrel Inside Diameter, Closed



Product Drawings

WF060-12-YL

English

Datasheets & Catalog Pages

Infographic - entrelec ews-linecard

English

ENTRELEC - INSULATED WIRE END FERRULES

ENTRELEC - INSULATED WIRE END FERRULES

English

ENTRELEC - INSULATED WIRE END FERRULES

French

Essential Entrelec Terminal Blocks

French

Essential Entrelec Terminal Blocks

English

Agency Approvals

UL

English