

PRODUCT-DETAILS

SSA-F-2.2.PB.1

SSA-F-2.2.PB.1 Sens/ Sw.act. 2/2, 44x44



Informations générales

Extension du type de produit	SSA-F-2.2.PB.1
Code de produit	2CKA006220A0234
EAN	4011395187371
Description courte	SSA-F-2.2.PB.1 Sens/ Sw.act. 2/2, 44x44

Description longue

For switching 127 V~/230 V~ consumers. With integrated 2gang switch actuator. Switching function is available also without prior programming (both sensor channels are pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
--	--------------------

Voltage Range	230 ... 230 V
Courant nominal (I_n)	6 A
Maximum Switching Current	6 A
Maximum Switching Power	1380 W
Nombre de sorties	2
Maximum Number of Switching Outputs	2
Compatible Bus Systems	free@home
Product Range	free@home
Type de charge	ohmic
Type de montage	Flush Mounted
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5004
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	44 mm
Produit Hauteur Net	44 mm
Produit Longueur Net	41 mm
Poids net	48 g
Profondeur d'encastrement (t_2)	32 mm

Commande

ID du produit remplacé	6220-0-0234
------------------------	-------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E1392
--------------------------------	-----------------

Classifications

ETIM 8	EC001097 - Switch actuator for bus system
ETIM 9	EC001097 - Switch actuator for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 91
UNSPSC	31251516
eClass	V11.0 : 27143125
Code de catégorie granulaire IDEA (IGCC)	3268 >> Switch actuator

Catégories

Produits basse tension → Home and Building Automation → free@home → Lighting Control → Switch Actuators 6 A

Produits basse tension → Home and Building Automation → free@home → Standard Outputs → Switch Actuators 6 A

