

LLTE-A1300111020E4



FIBERS

LLTE-A1300111020E4 | LLX

FIBERS



Ordering information

LLTE-A1300111020E4 2127945	Туре	Part no.
	LLTE-A1300111020E4	2127945

Included in delivery: LLAC-AB10 (1), LLAC-AB13 (1), LLAC-FC (1)

Other models and accessories → www.sick.com/LLX

Illustration may differ

Detailed technical data

Features		
Device type	Fibers	
Functional principle	Proximity system	
Fiber-optic cable cuttable	1	
Special features	Coaxial fiber arrangement	
Adapter sleeves required	Yes (1 x LLAC-AB10 / 1 x LLAC-AB13)	
Items supplied	1 x fiber cutter (LLAC-FC), M3 mounting set (2 x M3 nut + 2 x M3 washer), 2 x fiber adapter bushing (1 x LLAC-AB10 + 1 x LLAC-AB13)	
Mechanical data		
Housing	Cylindrical with thread	
Design detail	Axial	
Thread diameter (housing)	M3	
Connection detail		
Cable diameter	1 x 1.0 mm (sender) / 1 x 1.3 mm (receiver)	
Length of cable (L)	2 m	
Bending radius	15 mm	
Material		
Housing	Stainless steel, Stainless steel V2A (1.4301)	
Cable	Plastic PE	
Fibers	Plastic, PMMA	
Fiber diameter (and quantity of fibers)	1 x 0.5 mm (sender) / 9 x 0.25 mm (receiver)	
Ambient data		
Ambient operating temperature	-40 °C +60 °C	
RoHS certificate	1	
Classifications		
ECLASS 5.0	27270905	
ECLASS 5.1.4	27270905	
ECLASS 6.0	27270905	
ECLASS 6.2	27270905	
ECLASS 7.0	27270905	


FIBERS

ECLASS 8.0	27270905
ECLASS 8.1	27270905
ECLASS 9.0	27270905
ECLASS 10.0	27270905
ECLASS 11.0	27270905
ECLASS 12.0	27270905
ETIM 5.0	EC002651
ETIM 6.0	EC002651
ETIM 7.0	EC002651
ETIM 8.0	EC002651
UNSPSC 16.0901	39121528

Sensing ranges with WLL180T

Operating mode 16 µs	30 mm
Operating mode 70 µs	90 mm
Operating mode 250 µs	150 mm
Operating mode 2 ms	250 mm
Operating mode 8 ms	370 mm
Sensing ranges with GLL170	
Operating mode 250 µs	35 mm
Sensing ranges with GLL170T	
Operating mode 50 µs	60 mm
Operating mode 250 µs	100 mm

Dimensional drawing (Dimensions in mm (inch))



For length of cable (L), see technical data ① Receiver ② Sender

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com



Online data sheet

