

PRODUCT-DETAILS

ML1-100Y

ML1-100Y Pilot Light



Informations générales

Extension du type de produit	ML1-100Y
Code de produit	1SFA611400R1003
EAN	7320500306178
Description courte	ML1-100Y Pilot Light
Description longue	<p>The ML1-100Y Pilot Light is: Maintained/Momentary - Pilot light head - Yellow - Illuminated</p> <p>This Pilot Light is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p>

Commande

Quantité minimum	10 pièce
Code douanier	8536619090

Downloads Préférés

Fiche produit, informations techniques	1SFC151007C02__
Instructions et manuels	1SFC151011M0201

Dimensions

Produit Largeur Net	0.03 m
Produit Hauteur Net	0.03 m
Produit Longueur Net	0.033 m
Poids net	0.018 kg

Technique

Température de l'air ambiant	Operation -25 ... +70 °C Storage -40 ... +85 °C
Couleur	Yellow
Actuator Type	Pilot light head
Voyant	Illuminated
Indice de protection	Front IP66
Classe de protection (NEMA)	Type1 Type12 Type13 Type3R Type4 Type4X

Environnement

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006479
Informations RoHS	2CMT2015-005452
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
Catégorie DEEE	Product Not in WEEE Scope

Certificats et Déclarations (Numéro de document)

Certificat ecULus	9AKK107046A9925
Déclaration de Conformité - CE	2CMT2015-005452
Declaration of Conformity - UKCA	2CMT2020-006121
DNV GL Certificate	E-14107

Emballage

Emballage Niveau 1 Unités	bag 1 pièce
Emballage Niveau 1 Largeur	0.11 m
Emballage Niveau 1 Longueur	0.15 m
Emballage Niveau 1 Hauteur	0.03 m
Emballage Niveau 1 Poids	0.018 kg
Emballage Niveau 1 EAN	7320500306178

Classifications

Code de classification d'objet	P
ETIM 6	EC000223 - élément frontal pour témoin lumineux
ETIM 7	EC000223 - Front element for indicator light
ETIM 8	EC000223 - Front element for indicator light
eClass	V11.0 : 27371211
UNSPSC	39121534
Code de catégorie granulaire IDEA (IGCC)	4766 >> Indicator or pilot lights
E-Number (Finland)	2339005
E-Number (Norway)	4372573
E-Number (Sweden)	3716203

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Unités de commande et de signalisation → Commande et signalisation → ML Modular Pilot Lights

Produits et Systèmes Moyenne Tension → Service → Pièces détachées → Parts → All Spare Parts (Relays-SWG-CB)

