

PRODUCT-DETAILS

P9MSCI0E01

P9MSCI0E01 Key Operated Selector Switch



Informations générales

Extension du type de produit	P9MSCI0E01
Code de produit	1SFA192165R9006
EAN	7320500523612
Description courte	P9MSCI0E01 Key Operated Selector Switch
Description longue	<p>The P9MSCI0E01 Key Operated Selector Switch is: Modular metal - Key Operated Selector Switch - 2-position - Maintained - Key - Black/Key=metal - Non-illuminated - Satin Chrome Metal</p> <p>This Key Operated Selector Switch is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range.</p>

Commande

Quantité minimum	10 pièce
Code douanier	8536501990

Downloads Préférés

Fiche produit, informations techniques	1SFC151007C02__
Instructions et manuels	1SFC151011M0201

Dimensions

Produit Largeur Net	29.7 mm
Produit Hauteur Net	44.5 mm
Produit Longueur Net	68.4 mm
Poids net	0.12 kg

Technique

Température de l'air ambiant	Operation -30 ... 70 °C Storage -40 ... +70 °C
Couleur	Black/Key=metal
Actuator Type	Key
Bezel Material	Satin Chrome Metal
Voyant	Non-illuminated
Fonction	Maintained
Sub-Function	2-position
Sub-Function 2	CAM I
Maintained Positions	B, C
Key Removal Positions	Position B Only
Key Code	Key code 01
Indice de protection	Front IP66
Classe de protection (NEMA)	Type1 Type12 Type13 Type3 Type3R Type3S Type4 Type4X

Environnement

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006479
Informations RoHS	2CMT2019-005862
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)

Certificats et Déclarations (Numéro de document)

Certificat BV	2CMT2019-005867
CB Certificate	2CMT2019-005872
Certificat CSA	2CMT2019-005868
Déclaration de Conformité	2CMT2019-005862

- CE

Declaration of Conformity 2CMT2020-006121

- UKCA

DNV GL Certificate 2CMT2019-005876

Certificat RINA 2CMT2019-005866

Certificat UL 2CMT2019-005868

Emballage

Emballage Niveau 1 box 1 pièce
UnitésEmballage Niveau 1 41 mm
LargeurEmballage Niveau 1 113 mm
LongueurEmballage Niveau 1 41 mm
Hauteur

Emballage Niveau 1 Poids 0.12 kg

Emballage Niveau 1 EAN 7320500523612

Classifications

ETIM 7 EC000222 - Front element for selector switch

ETIM 8 EC000222 - Front element for selector switch

eClass V11.0 : 27371213

UNSPSC 39122217

Code de catégorie granulaire IDEA (IGCC) 5215 >> Selector Switch Complete Assemblies

E-Number (Finland) 2314938

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Unités de commande et de signalisation → Modular
Metal Range P9M → P9M Selector Switches

