

PRODUCT-DETAILS

# TG206G

TG206G Wall-mounting cabinet, Field width: 2,  
 Rows: 6, 950 mm x 550 mm x 225 mm,  
 Grounded (Class I), IP55



## Informations générales

Extension du type de produit	TG206G
Code de produit	2CPX010011R9999
EAN	4011617100119

Description courte	TG206G Wall-mounting cabinet, Field width: 2, Rows: 6, 950 mm x 550 mm x 225 mm, Grounded (Class I), IP55
--------------------	---

Description longue	<p>Wall-mounting cabinet, series TwinLine, empty cabinet, Expansion option: Lateral and bottom, for the internal use, with Door, class of protection I (earthed), degree of protection IP55, applicable standards: EN 61439-1, EN 61439-2, EN 61439-3, IK code 8, Powder-coated, in RAL 7035, enclosure out of sheet steel, single-leaf door, door out of sheet steel, with Standard locking mechanism double bit, door opening angle 180 degree, door hinge right or left, rear wall out of sheet steel, cable entry on top via flange opening pre-cut, on bottom via flange opening pre-punched, on side via flange opening pre-punched, dimensions in mm (H x W x D): 950 x 550 x 225, Grid unit 6 GU, Overall height 2, panel width 2, Space units 144, pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module, mounting plates on EDF-/WR-mounting frame</p>
--------------------	---

## Technique

Normes et standards	DIN EN 61439-3 DIN EN 61439-2
Power Loss	$\Delta t = 20K$ 52.6 W $\Delta t = 25K$ 69.4 W $\Delta t = 30K$ 87 W

Number of Flange Openings	2
Number of Conduit Inlets	104
Number of Rows	6
Configuration Type	pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module, mounting plates on EDF-/WR-mounting frame
Cover Plate Type	None
Type de boîtier	Wall-mounting cabinet
Enclosure Type of Height	2
Type de montage	Surface-mounted
Door Type	Single
Finition de surface	Powder-coated
Qualité du matériau	Steel plate/plastic
Style de cache	with Notch
DIN Place Units	144
RAL Number	RAL 7035 - Gris clair
Couleur	Light grey

## Environnement

Indice de protection	IP55
Classe de protection	Grounded (Class I)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	9AKK107992A4839
REACH Declaration	2CPC100005X0201
SCIP	a9384434-706f-4938-bb0f-956739599fbf Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Width in Number of Modular Spacings	24
Produit Largeur Net	550 mm
Produit Hauteur Net	950 mm
Produit Longueur Net	225 mm
Poids net	21.216 kg
Profondeur d'encastrement (t <sub>2</sub> )	170 mm
Thickness	Cabinet Plate 1 mm Door Plate 1.5 mm

## Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	pack 1 pièce

Emballage Niveau 1 Poids

22.078 kg

---

## Certificats et Déclarations (Numéro de document)

---

Déclaration de Conformité  
- CE

9AKK107992A4839

---

## Installation

---

Instructions et manuels

2CPC016708M5601  
2CPC119660M5601

---

## Downloads Préférés

---

Fiche produit, informations  
techniques2CPC000001C0101  
2CPC000002C0101Building Information  
Modeling – BIM

9AKK107046A8223

---

## Classifications

---

ETIM 8

EC000058 - Empty cabinet

ETIM 9

EC000058 - Empty cabinet

Catégorie DEEE

Product Not in WEEE Scope

CN8

85381000

eClass

V11.0 : 27142408

Code de classification  
d'objet

U

---

## Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX010450R9999	TZ101 Flange, 147 mm x 223 mm x 20 mm	TZ101	2	piece
2CPX010452R9999	TZ102 Flange, 147 mm x 223 mm x 20 mm	TZ102	2	piece
2CPX010454R9999	TZ103 Flange, 147 mm x 223 mm x 20 mm	TZ103	2	piece
2CPX010456R9999	TZ104 Flange, 147 mm x 223 mm x 20 mm	TZ104	2	piece
2CPX010457R9999	TZ105 Flange, 147 mm x 223 mm x 20 mm	TZ105	2	piece
2CPX010458R9999	TZ106 Flange, 147 mm x 223 mm x 15 mm	TZ106	2	piece
2CPX010460R9999	TZ107 Flange, 147 mm x 223 mm x 20 mm	TZ107	2	piece
2CPX010850R9999	TZ110 Flange, 147 mm x 223 mm x 20 mm	TZ110	2	piece
2CPX010851R9999	TZ111 Flange, 147 mm x 223 mm x 20 mm	TZ111	2	piece
2CPX010852R9999	TZ112 Flange, 147 mm x 223 mm x 20 mm	TZ112	2	piece
2CPX010487R9999	TZ503 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ503	1	piece
2CPX010488R9999	TZ504 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ504	1	piece
2CPX010489R9999	TZ505 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ505	1	piece
2CPX010490R9999	TZ506 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ506	1	piece
2CPX010494R9999	TZ510 Enclosure accessories, 40 mm x 40 mm x 170 mm	TZ510	1	piece
2CPX010503R9999	TZ608 Accessory cabinet connection, 25 mm x 150 mm x 240 mm	TZ608	1	piece
2CPX010673R9999	TZ618 Enclosure accessories, 500 mm x 100 mm x 30 mm	TZ618	1	piece
2CPX010674R9999	TZ619 Enclosure accessories, 800 mm x 100 mm x 30 mm	TZ619	1	piece
2CPX010778R9999	TZ626 Accessory cabinet connection, 55 mm x 160 mm x 260 mm	TZ626	1	piece
2CPX010600R9999	TZM206 Mounting plate, Field width: 2, 900 mm x 496 mm x 2 mm	TZM206	1	piece
2CPX010634R9999	TZP206 Touch guard, Field width: 2, 900 mm x 500 mm x 30 mm	TZP206	1	piece
2CPX010717R9999	TZP206A Touch guard, Field width: 2, 900 mm x 500 mm x 30 mm	TZP206A	1	piece
2CPX038233R9999	ZA13 Enclosure accessories, 297 mm x 370 mm x 3 mm	ZA13	1	piece
2CPX038228R9999	ZA5 Enclosure accessories, 210 mm x 200 mm x 3 mm	ZA5	1	piece
2CPX038227R9999	ZA6 Enclosure accessories, 297 mm x 210 mm x 3 mm	ZA6	1	piece
2CPX038001R9999	ZL8 Enclosure accessories, 15 mm x 400 mm x 15 mm	ZL8	1	piece
2CPX010799R9999	TZ616A Enclosure accessories, 30 mm x 20 mm x 100 mm	TZ616A	1	piece
2CPX010999R9999	TZ634A Enclosure accessories, 30 mm x 20 mm x 100 mm	TZ634A	1	piece
2CPX011000R9999	TZ634 Enclosure accessories, 30 mm x 20 mm x 100 mm	TZ634	1	piece

---

## Catégories

---

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux Divisionnaires → Sub Distribution Boards → TwinLine N 55 - Welded

