

PRODUCT-DETAILS

# Q855B420

Q855B420 Cabinet, Rows: 13, 2049 mm x 396 mm x 250 mm, Grounded (Class I), IP55



## Informations générales

Extension du type de produit	Q855B420
Code de produit	1SZE550800B0080
EAN	3800161600784
Description courte	Q855B420 Cabinet, Rows: 13, 2049 mm x 396 mm x 250 mm, Grounded (Class I), IP55
Description longue	Floor standing cabinet, Type System pro E energy M, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP55 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperately, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 2000 x 400 (384) x 250, No.Mod.DIN 156 (H=150 mm), prepared for extention side-by-side, prepared for interior fitting System pro E energy Combi (up to 800A)

## Technique

Courant nominal ( $I_n$ )	800 A
Power Loss	$\Delta t = 25K$ 67 W $\Delta t = 30K$ 96 W $\Delta t = 35K$ 126 W $\Delta t = 40K$ 158 W
Number of Flange Openings	2

Number of Rows	13
Cover Plate Type	Optional
Type de montage	Surface mounting
Door Type	Single
Finition de surface	Powder coating
Qualité du matériau	Steel
RAL Number	RAL 7035 - Gris clair
Couleur	Grey
Nombre de batteries	0

## Environnement

Indice de protection	IP55
Classe de protection	Grounded (Class I)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	1STC860120 9AKK108467A5062
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Width in Number of Modular Spacings	12
Produit Largeur Net	396 mm
Produit Hauteur Net	2049 mm
Produit Longueur Net	250 mm
Poids net	25.74 kg
Profondeur d'encastrement (t <sub>2</sub> )	230 mm
Thickness	Cabinet Plate 1.5 mm Door Plate 1.5 mm

## Commande

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	28.6 kg

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	1STC860120
--------------------------------	------------

## Installation

Instructions et manuels

No document needed

---

## Downloads Préférés

---

Fiche produit, informations techniques

No document needed

Building Information Modeling – BIM

9AKK107680A9001

---

## Classifications

---

ETIM 8

EC000058 - Empty cabinet

ETIM 9

EC000058 - Empty cabinet

Catégorie DEEE

Product Not in WEEE Scope

WEEE B2C / B2B

Business To Consumer

CN8

85381000

eClass

V11.0 : 27142408

Code de classification d'objet

U

---

## Catégories

---

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux Divisionnaires → Sub Distribution Boards → System pro E energy M

