

DÉCLARATION UE DE CONFORMITÉ N° 24.2950.02.24

EU DECLARATION OF CONFORMITY No.

Nous / We **Hager Electro SAS**
BP3
67215 OBERNAI CEDEX - FRANCE

Déclarons que le(s) produit(s) / Declare that the product(s)

Désignation / Designation

Pièces détachées et accessoires pour disjoncteurs à coupure dans l'air HW+
Spare parts and accessories for Air circuit breakers HW+

Référence(s) / Type reference(s)

HWW, HWX, HWY (voir pages suivantes / see following pages)

Marque commerciale / Trademark

Hager

Est (sont) conforme(s) à la législation d'harmonisation de l'Union applicable :

is (are) in conformity with the relevant Union harmonization legislation:

- Directive Basse Tension (DBT) N° 2014/35/UE - Low Voltage Directive (LVD) N° 2014/35/EU
- Directive Compatibilité Electromagnétique (CEM) N° 2014/30/UE - Electromagnetic Compatibility Directive (EMC) N° 2014/30/EU
- Directive relative à la limitation de l'utilisation de certaines substances dangereuses N° 2011/65/UE modifiée par N° (EU) 2015/863 - Directive on the Restriction of the use of certain Hazardous Substances (RoHS) N° 2011/65/EU amended by N° (EU) 2015/863

Norme(s) et/ou texte(s) de référence / Standard(s) and/or relevant document(s)

N° Norme + amendements avec dates d'édition / Standard number + relevant amendments together with the edition dates

EN 60947-2 : 2017 + A1 : 2020
EN 60947-3 : 2021
EN 60947-5-1 : 2017
EN 61439-2 : 2020
NF EN IEC 60086-4: 2019
EN 63000: 2018

Si applicable, mentionnez ici pour les produits radio, les informations concernant l'organisme notifié. Voir directive RED - Annexe VI - point 7.
If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Au nom de / On behalf of Hager Electro SAS - BP3 - 67215 OBERNAI CEDEX - FRANCE

Nom du signataire / Name of signatory

Eric Boivin

Fonction du signataire / Function of signatory

Certification Mandatee

Lieu et date d'établissement / Place and date of issue

Obernai, le 29 Février 2024

Signature / Signature



DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWW500H	Draw-out handle HW1
HWW504H	NEUTRAL COVER HW1
HWW510H	FRONT COVER HW1 ACB
HWW520H	Safety shutters 3P HW1
HWW521H	Safety shutters 4P HW1
HWW530H	JAW CONTACTS (3 pcs) HW1
HWW554H	CONVERSION KIT (DO W/O CHA)
HWW560H	FRONT COVER HW1 ACB PSB
HWW561H	FRONT COVER HW1 SWITCH PSB
HWX001H	Charging motor 24V AC HW1 (MO)
HWX001HSA	Charging motor 24V AC HW1 (MO)
HWX002H	Charging motor 48-60V AC HW1 (MO)
HWX002HSA	Charging motor 48-60V AC HW1 (MO)
HWX003H	Charging motor 100-130VAC HW1 (MO)
HWX003HSA	Charging motor 100-130VAC HW1 (MO)
HWX004H	Charging motor 200-250VAC HW1 (MO)
HWX004HSA	Charging motor 200-250VAC HW1 (MO)
HWX005H	Charging motor 380-400VAC HW1 (MO)
HWX005HSA	Charging motor 380-400VAC HW1 (MO)
HWX006H	Charging motor 415-450VAC HW1 (MO)
HWX006HSA	Charging motor 415-450VAC HW1 (MO)
HWX020H	Shunt trip coil 24-30V AC/DC (SH)
HWX020HSA	Shunt trip coil 24-30V AC/DC (SH)
HWX021H	Shunt trip coil 48-60V AC/DC (SH)
HWX021HSA	Shunt trip coil 48-60V AC/DC (SH)
HWX022H	Shunt trip coil 100-130V AC/DC (SH)
HWX022HSA	Shunt trip coil 100-130V AC/DC (SH)
HWX023H	Shunt trip coil 200-250V AC/DC (SH)
HWX023HSA	Shunt trip coil 200-250V AC/DC (SH)
HWX024H	Shunt trip coil 380-480V AC (SH)
HWX024HSA	Shunt trip coil 380-480V AC (SH)
HWX025H	Closing coil 24-30V AC/DC (CC)
HWX025HSA	Closing coil 24-30V AC/DC (CC)
HWX026H	Closing coil 48-60V AC/DC (CC)
HWX026HSA	Closing coil 48-60V AC/DC (CC)
HWX027H	Closing coil 100-130V AC/DC (CC)
HWX027HSA	Closing coil 100-130V AC/DC (CC)
HWX028H	Closing coil 200-250V AC/DC (CC)
HWX028HSA	Closing coil 200-250V AC/DC (CC)
HWX029H	Closing coil 380-480V AC (CC)
HWX029HSA	Closing coil 380-480V AC (CC)
HWX030H	Undervoltage trip 24-30V AC/DC (UV)
HWX030HSA	Undervoltage trip 24-30V AC/DC (UV)
HWX031H	Undervoltage trip 48-60V AC/DC (UV)
HWX031HSA	Undervoltage trip 48-60V AC/DC (UV)
HWX032H	Undervoltage trip 100-130V AC/DC (UV)
HWX032HSA	Undervoltage trip 100-130V AC/DC (UV)
HWX033H	Undervoltage trip 200-250V AC/DC (UV)
HWX033HSA	Undervoltage trip 200-250V AC/DC (UV)
HWX034H	Undervoltage trip 380-480V AC (UV)
HWX034HSA	Undervoltage trip 380-480V AC (UV)
HWX040H	Auxiliary Switch (AX)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWX040HSA	Auxiliary Switch HW1 (AX)
HWX041H	Auxiliary Switch low-level (AX)
HWX041HSA	Auxiliary Switch low-level HW1 (AX)
HWX042H	Auxiliary Switch HW2/4 (AX)
HWX042HSA	Auxiliary Switch HW2/4 (AX)
HWX043H	Auxiliary Switch low-level HW2/4 (AX)
HWX043HSA	Auxiliary Switch low-level HW2/4 (AX)
HWX092H	Ready To Close contact HW2/4 (RTC)
HWX092HSA	Ready To Close contact HW2/4 (RTC)
HWX046H	Additional Auxiliaries Module (AXM)
HWX047H	Fault trip Switch (FS)
HWX047HSA	Fault trip Switch (FS)
HWX049H	Trip indicator switch
HWX050H	Position Switch (PS)
HWX050HSA	Position Switch (PS)
HWX051H	Position Switch low level (PS)
HWX051HSA	Position Switch low level (PS)
HWX057H	Position Sensor for COM HW1 (PSE)
HWX059H	Position Sensor for COM HW6 (PSE)
HWX060H	Insulation Module (INS)
HWX060HSA	Insulation Module (INS)
HWX062H	Coil cable for communication
HWX070H	ON/OFF cycle counter (CYC)
HWX070HSA	ON/OFF cycle counter HW1 (CYC)
HWX090H	OAC for HW+
HWX090HSA	OAC for HW+
HWX190H	No OAC dummy
HWX091H	Ready To Close contact (RTC)
HWX091HSA	Ready To Close contact HW1 (RTC)
HWX701H	Charging motor 24V DC HW1 (MO)
HWX701HSA	Charging motor 24V DC HW1 (MO)
HWX702H	Charging motor 48-60V DC HW1 (MO)
HWX702HSA	Charging motor 48-60V DC HW1 (MO)
HWX703H	Charging motor 100-130V DC HW1 (MO)
HWX703HSA	Charging motor 100-130V DC HW1 (MO)
HWX704H	Charging motor 200-250V DC HW1 (MO)
HWX704HSA	Charging motor 200-250V DC HW1 (MO)
HWY001H	Spreaders 3P HW1 (SP)
HWY002H	Spreaders 4P HW1 (SP)
HWY003H	Connection support UNIMES FC HW1 3P
HWY004H	Connection support UNIMES FC HW1 4P
HWY005H	Vertical Conn. Adaptors 3P HW1 (VCA)
HWY006H	Vertical Conn. Adaptors 4P HW1 (VCA)
HWY008H	Connection support UNIMES RC HW1 3P
HWY009H	Connection support UNIMES RC HW1 4P
HWY040H	Term. Conn. Front - HW1 FIX 3P (FC)
HWY040HSA	Term. Conn. Front - HW1 FIX 3P (FC)
HWY041H	Term. Conn. Front - HW1 FIX 4P (FC)
HWY041HSA	Term. Conn. Front - HW1 FIX 4P (FC)
HWY044H	Term. Conn. Front - top - HW1 DO 3P (FC)
HWY044HSA	Term. Conn. Front - HW1 DO 3P (FC)
HWY045H	Term. Conn. Front - top - HW1 DO 4P (FC)
HWY045HSA	Term. Conn. Front - HW1 DO 4P (FC)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWY046H	Term. Conn. Front - bot - HW1 DO 3P (FC)
HWY046HSA	Term. Conn. Front - bot - HW1 DO 3P (FC)
HWY047H	Term. Conn. Front - bot - HW1 DO 4P (FC)
HWY047HSA	Term. Conn. Front - bot - HW1 DO 4P (FC)
HWY048H	Terminal Conn. Rear - HW1 3P (RC)
HWY048HSA	Terminal Conn. Rear - HW1 3P (RC)
HWY049H	Terminal Conn. Rear - HW1 4P (RC)
HWY049HSA	Terminal Conn. Rear - HW1 4P (RC)
HWY080H	IP54 Transparent cover HW1 (IPTC)
HWY089H	Push Button Cover HW1 (PBC)
HWY089HSA	Push Button Cover HW1 (PBC)
HWY092H	Push Button Cover HW1 PSB (PBC)
HWY095H	Terminal Block Cover HW1 Drawout (TC)
HWY095HSA	Terminal Block Cover HW1 draw-out 3P(TC)
HWY096H	TERMINAL BLOCK COVER HW1 DO 4P
HWY096HSA	Terminal Block Cover HW1 draw-out 4P(TC)
HWY140H	Terminal connection cover front H Unimes - HW1 FIX 3P (FC)
HWY140HSA	Term.Conn.Front H Unimes-HW1 FIX 3P(FC)
HWY141H	Terminal connection cover front H Unimes - HW1 FIX 4P (FC)
HWY141HSA	Term.Conn.Front H Unimes-HW1 FIX 4P(FC)
HWY144H	Terminal connection cover front H Unimes - HW1 DO 3P (FC)
HWY144HSA	Term.Conn.Front H Unimes-HW1 DO 3P (FC)
HWY145H	Terminal connection cover front H Unimes - HW1 DO 4P (FC)
HWY145HSA	Term.Conn.Front H Unimes-HW1 DO 4P (FC)
HWY148H	Terminal connection rear Unimes long - HW1 3P (RC)
HWY148HSA	Term.Conn.Rear Unimes Long - HW1 3P (RC)
HWY149H	Terminal connection rear Unimes long - HW1 4P (RC)
HWY149HSA	Term.Conn.Rear Unimes Long - HW1 4P (RC)
HWY150H	Terminal connection rear H Unimes - HW1 3P (RC)
HWY150HSA	Term. Conn. Rear H Unimes - HW1 3P (RC)
HWY151H	Terminal connection rear H Unimes - HW1 4P (RC)
HWY151HSA	Term. Conn. Rear H Unimes - HW1 4P (RC)
HWY220H	Door Interlock for Drawout HW1 (DIW)
HWY221H	Door Interlock by Cable HW1 (DILC)
HWY224H	Mechanical Interlock HW1 Fix Safety
HWY225H	Mechanical Interlock HW1 Do Safety
HWY218H	Mechanical interlock 1,5m cable set
HWY228H	Mechanical Interlock 3M Cable Set
HWY229H	Mechanical Interlock 5M Cable Set
HWY230H	Mech. Interlock HW1 FIX Coupling (MI)
HWY231H	Mechanical Interlock HW1 Do Coupling
HWY234H	PlateMec.IntLock HW1 FIX 3-Safety (MI)
HWY235H	PlateMec.IntLock HW1 DO 3-Safety (MI)
HWY238H	Racking interlock Door open HW1 (RI)
HWY240H	Interphase Barriers HW1 3P (IB)
HWY240HSA	Interphase Barriers HW1 3P (IB)
HWY241H	Interphase Barriers HW1 4P (IB)
HWY241HSA	Interphase Barriers HW1 4P (IB)
HWY260H	Off locking key adaptor HW1 (OLK)
HWY260HSA	Off locking key adaptor HW1 (OLK)
HWY262H	Off locking Castell key adaptor HW1
HWY264H	Off locking Profalux key adaptor HW1
HWY266H	Off locking key adaptor HU1 PSB (OLK)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWY269H	Off Padlock lever (OLP)
HWY269HSA	OFF locking with padlock HW1 (OLP)
HWY270H	Chassis locking Ronis type HW1 (CL)
HWY270HSA	Chassis locking Ronis type HW1 (CL)
HWY276H	Wrong insertion preventer (WIP)
HWY280H	Door Flange LT for HW1 Fixed (DF)
HWY281H	Door Flange LT for HW1 Drawout (DF)
HWY282H	Door Flange HT for HW1 Fixed (DF)
HWY283H	Door Flange HT for HW1 Drawout (DF)
HWY360H	No OFF locking button HW1
HWY360HSA	No OFF locking button HW1
HWY950H	Terminal block A Type 6/3
HWY950HSA	Terminal block A type 6/3
HWY951H	Terminal block B Type 6/6
HWY951HSA	Terminal block B type 6/6
HWY952H	Terminal block C Type 2*6/3
HWY952HSA	Terminal block C type 2*6/3
HWY958H	Arc chute screen 3P
HWY959H	Arc chute screen 4P
HWY970H	Neutral Sensor 400-1600A HW1 (ENCT)
HWW450H	OCR Sentinel LI
HWW451H	OCR Sentinel LSI
HWW452H	OCR Sentinel LSIG
HWW464H	Rating Plug 400A
HWW464HSA	Rating Plug 400A
HWW465H	Rating Plug 630A
HWW465HSA	Rating Plug 630A
HWW466H	Rating Plug 800A
HWW466HSA	Rating Plug 800A
HWW467H	Rating Plug 1000A
HWW467HSA	Rating Plug 1000A
HWW468H	Rating Plug 1250A
HWW468HSA	Rating Plug 1250A
HWW469H	Rating Plug 1600A
HWW469HSA	Rating Plug 1600A
HWW470H	Rating Plug 2000A
HWW470HSA	Rating Plug 2000A
HWW471H	Rating Plug 2500A
HWW471HSA	Rating Plug 2500A
HWW472H	Rating Plug 3200A
HWW472HSA	Rating Plug 3200A
HWW473H	Rating Plug 4000A
HWW473HSA	Rating Plug 4000A
HWW724H	Rating plug 400A Ultimate
HWW724HSA	Rating plug 400A Ultimate
HWW725H	Rating plug 630A Ultimate
HWW725HSA	Rating plug 630A Ultimate
HWW726H	Rating plug 800A Ultimate
HWW726HSA	Rating plug 800A Ultimate
HWW727H	Rating plug 1000A Ultimate
HWW727HSA	Rating plug 1000A Ultimate
HWW728H	Rating plug 1250A Ultimate
HWW728HSA	Rating plug 1250A Ultimate

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWW729H	Rating plug 1600A Ultimate
HWW729HSA	Rating plug 1600A Ultimate
HWY030H	UV time controller 24-30V AC/DC (UVTC)
HWY031H	UV time controller 48-60V AC/DC (UVTC)
HWY032H	UV time controller 100-130V AC/DC (UVTC)
HWY033H	UV TIME DELAY CONTROLLER 200-250V AC (UVTC)
HWY034H	UV TIME DELAY CONTROLLER 380-480V AC (UVTC)
HWY210H	PANEL DISPLAY HTD210H ACB ADAPTOR
HWY370H	Lock in disconnected position HW1
HWW463H	OCR Battery
HWW461H	OCR Sentinel screen replacement kit
HWW450HSA	TU Sentinel LI
HWW451HSA	TU Sentinel LSI
HWW452HSA	TU Sentinel LSI G
HWW501H	Draw-out handle HW2/4
HWW501HSA	Draw-out handle HW2/4
HWW505H	Neutral cover HW2
HWW505HSA	Neutral cover HW2
HWW512H	Front cover HW2 ACB
HWW512HSA	Front cover HW2 ACB
HWW513H	Front cover HW2 Switch
HWW513HSA	Front cover HW2 Switch
HWW522H	Safety shutters 3P HW2
HWW522HSA	Safety shutters 3P HW2
HWW523H	Safety shutters 4P HW2
HWW523HSA	Safety shutters 4P HW2
HWW532H	Jaw contacts (6 pcs) HW2 >1600A 55...100kA
HWW532HSA	Jaw contacts (6 pcs) HW2 >1600A 55...100kA
HWW533H	Jaw contacts (6 pcs) HW2 630...1600A 55kA
HWW533HSA	Jaw contacts (6 pcs) HW2 630...1600A 55kA
HWW562H	Front cover HU2 ACB PSB
HWW563H	Front cover HU2 Switch PSB
HWW575H	Neutral cover HU2 PSB
HWX011H	Charging motor 24V AC HW2/4 (MO)
HWX011HSA	Charging motor 24V AC HW2/4 (MO)
HWX012H	Charging motor 48V AC HW2/4 (MO)
HWX012HSA	Charging motor 48V AC HW2/4 (MO)
HWX013H	Charging motor 100-130V AC HW2/4 (MO)
HWX013HSA	Charging motor 100-130V AC HW2/4 (MO)
HWX014H	Charging motor 200-250V AC HW2/4 (MO)
HWX014HSA	Charging motor 200-250V AC HW2/4 (MO)
HWX015H	Charging motor 380-400V AC HW2/4 (MO)
HWX015HSA	Charging motor 380-400V AC HW2/4 (MO)
HWX016H	Charging motor 415-450V AC HW2/4 (MO)
HWX016HSA	Charging motor 415-450V AC HW2/4 (MO)
HWX058H	Position Sensor for COM HW2 HW4 (PSE)
HWX071H	ON/OFF cycle counter HW2/4 (CYC)
HWX071HSA	ON/OFF cycle counter HW2/4 (CYC)
HWX711H	Charging motor 24V DC HW2/4 (MO)
HWX711HSA	Charging motor 24V DC HW2/4 (MO)
HWX712H	Charging motor 48V DC HW2/4 (MO)
HWX712HSA	Charging motor 48V DC HW2/4 (MO)
HWX713H	Charging motor 100-130V DC HW2/4 (MO)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWX713HSA	Charging motor 100-130V DC HW2/4 (MO)
HWX714H	Charging motor 200-250V DC HW2/4 (MO)
HWX714HSA	Charging motor 200-250V DC HW2/4 (MO)
HWY058H	Term Conn 630-1600A 55kA HW2 3P (RC)
HWY058HSA	Term Conn 630...1600A 55kA HW2 3P (RC)
HWY059H	Term Conn 630-1600A 55kA HW2 4P (RC)
HWY059HSA	Term Conn 630...1600A 55kA HW2 4P (RC)
HWY090H	Push Button Cover HW2 (PBC)
HWY090HSA	Push Button Cover HW2 (PBC)
HWY093H	Push Button Cover HU2 PSB (PBC)
HWY097H	Terminal Block Cover HW2 fixed (TBC)
HWY097HSA	Terminal Block Cover HW2 fixed (TBC)
HWY098H	Terminal Block Cover HW2 draw-out (TBC)
HWY098HSA	Terminal Block Cover HW2 draw-out (TBC)
HWY158H	Term Conn 2000-2500A 55kA HW2 3P (RC)
HWY158HSA	Term Conn >1600A 55/66/100kA HW2 3P (RC)
HWY159H	Term Conn 2000-2500A 55kA HW2 4P (RC)
HWY159HSA	Term Conn >1600A 55/66/100kA HW2 4P (RC)
HWY160H	Terminal Conn 66/100kA HW2 3P (RC)
HWY160HSA	Terminal Conn HW2 3P (RC)
HWY161H	Terminal Conn 66/100kA HW2 4P (RC)
HWY161HSA	Terminal Conn HW2 4P (RC)
HWY162H	Term. Conn. Rear H Unimes - HW2 3P (RC)
HWY162HSA	Term. Conn. Rear H Unimes - HW2 3P (RC)
HWY163H	Term. Conn. Rear H Unimes - HW2 4P (RC)
HWY163HSA	Term. Conn. Rear H Unimes - HW2 4P (RC)
HWY168H	Term Conn 3200-4000A HW4 3P (RC)
HWY168HSA	Term Conn 3200-4000A HW4 3P (RC)
HWY169H	Term Conn 3200-4000A HW4 4P (RC)
HWY169HSA	Term Conn 3200-4000A HW4 4P (RC)
HWY222H	Door Interlock for draw-out HW2/4(DIW)
HWY223H	Door Interlock by Cable HW2/4 (DILC)
HWY226H	PlateMec.IntLock HW2/4 FIX 2-Safe (MI)
HWY227H	PlateMec.IntLock HW2/4 DO 2-Safe (MI)
HWY232H	PlateMec.IntLock HW2/4 FIX 3-Cpl. (MI)
HWY233H	PlateMec.IntLock HW2/4 DO 3-Cpl. (MI)
HWY236H	PlateMec.IntLock HW2/4 FIX 3-Safe (MI)
HWY237H	PlateMec.IntLock HW2/4 DO 3-Safe (MI)
HWY239H	Racking interlock door open HW2/4 (RI)
HWY246H	Interphase Barrier 3P HW2 HW4 fixed (IB)
HWY246HSA	Interphase Barrier 3P HW2 HW4 fixed (IB)
HWY247H	Interphase Barrier 4P HW2 HW4 fixed (IB)
HWY247HSA	Interphase Barrier 4P HW2 HW4 fixed (IB)
HWY248H	Interphase Bar. 3P HW2 HW4 draw-out (IB)
HWY248HSA	Interphase Bar. 3P HW2 HW4 draw-out (IB)
HWY249H	Interphase Bar. 4P HW2 HW4 draw-out (IB)
HWY249HSA	Interphase Bar. 4P HW2 HW4 draw-out (IB)
HWY265H	OFF locking with padlock HW2/4 (OLP)
HWY265HSA	OFF locking with padlock HW2/4 (OLP)
HWY267H	Off locking key adaptor HU2/4 PSB(OLK)
HWY271H	Chassis locking Ronis type HW2/4 (CL)
HWY271HSA	Chassis locking Ronis type HW2/4 (CL)
HWY277H	Wrong insertion preventer HW2/4 (WIP)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWY284H	Door Flange LT for HW2 Fixed (DF)
HWY285H	Door Flange LT for HW2 Draw-out (DF)
HWY286H	Door Flange HT for HW2 Fixed (DF)
HWY287H	Door Flange HT for HW2 Draw-out (DF)
HWY971H	External sensor 630-2500A HW2 (ENCT)
HWY081H	IP54 Transparent cover HW2 (IPTC)
HWY701	Cylinder lock RO Type 1 - K1L1/L4
HWY702	Cylinder lock RO Type 2 - K2L2/L4/L5
HWY703	Cylinder lock RO Type 3 - K3L3/L5
HWY704	Cylinder lock RO Type 4 - K4L4
HWY705	Cylinder lock RO Type 5 - K5L5
HWW506H	Neutral cover HW4
HWW506HSA	Neutral cover HW4
HWW514H	Front cover HW4 ACB
HWW514HSA	Front cover HW4 ACB
HWW515H	Front cover HW4 Switch
HWW515HSA	Front cover HW4 Switch
HWW524H	Safety shutters 3P HW4
HWW524HSA	Safety shutters 3P HW4
HWW525H	Safety shutters 4P HW4
HWW525HSA	Safety shutters 4P HW4
HWW526H	Safety shutters 3P HU2
HWW527H	Safety shutters 4P HU2
HWW534H	Jaw contacts (8 pcs) HW4
HWW534HSA	Jaw contacts (8 pcs) HW4
HWW541H	Arc chamber HW2
HWW541HSA	Arc chamber HW2
HWW542H	Arc chamber HW4
HWW542HSA	Arc chamber HW4
HWW564H	Front cover HU4 ACB PSB
HWW565H	Front cover HU4 Switch PSB
HWW576H	Neutral cover HU4 PSB
HWW730H	Rating plug 2000A Ultimate
HWW730HSA	Rating plug 2000A Ultimate
HWW731H	Rating plug 2500A Ultimate
HWW731HSA	Rating plug 2500A Ultimate
HWW732H	Rating plug 3200A Ultimate
HWW732HSA	Rating plug 3200A Ultimate
HWW733H	Rating plug 4000A Ultimate
HWW733HSA	Rating plug 4000A Ultimate
HWW664H	Rating plug 400A Meter Plus
HWW664HSA	Rating plug 400A Meter Plus
HWW665H	Rating plug 630A Meter Plus
HWW665HSA	Rating plug 630A Meter Plus
HWW666H	Rating plug 800A Meter Plus
HWW666HSA	Rating plug 800A Meter Plus
HWW667H	Rating plug 1000A Meter Plus
HWW667HSA	Rating plug 1000A Meter Plus
HWW668H	Rating plug 1250A Meter Plus
HWW668HSA	Rating plug 1250A Meter Plus
HWW669H	Rating plug 1600A Meter Plus
HWW669HSA	Rating plug 1600A Meter Plus
HWW670H	Rating plug 2000A Meter Plus

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWW670HSA	Rating plug 2000A Meter Plus
HWW671H	Rating plug 2500A Meter Plus
HWW671HSA	Rating plug 2500A Meter Plus
HWW672H	Rating plug 3200A Meter Plus
HWW672HSA	Rating plug 3200A Meter Plus
HWW673H	Rating plug 4000A Meter Plus
HWW673HSA	Rating plug 4000A Meter Plus
HWW684H	Rating plug 400A Harmonic
HWW684HSA	Rating plug 400A Harmonic
HWW685H	Rating plug 630A Harmonic
HWW685HSA	Rating plug 630A Harmonic
HWW686H	Rating plug 800A Harmonic
HWW686HSA	Rating plug 800A Harmonic
HWW687H	Rating plug 1000A Harmonic
HWW687HSA	Rating plug 1000A Harmonic
HWW688H	Rating plug 1250A Harmonic
HWW688HSA	Rating plug 1250A Harmonic
HWW689H	Rating plug 1600A Harmonic
HWW689HSA	Rating plug 1600A Harmonic
HWW690H	Rating plug 2000A Harmonic
HWW690HSA	Rating plug 2000A Harmonic
HWW691H	Rating plug 2500A Harmonic
HWW691HSA	Rating plug 2500A Harmonic
HWW692H	Rating plug 3200A Harmonic
HWW692HSA	Rating plug 3200A Harmonic
HWW693H	Rating plug 4000A Harmonic
HWW693HSA	Rating plug 4000A Harmonic
HWW704H	Rating plug 400A Advanced
HWW704HSA	Rating plug 400A Advanced
HWW705H	Rating plug 630A Advanced
HWW705HSA	Rating plug 630A Advanced
HWW706H	Rating plug 800A Advanced
HWW706HSA	Rating plug 800A Advanced
HWW707H	Rating plug 1000A Advanced
HWW707HSA	Rating plug 1000A Advanced
HWW708H	Rating plug 1250A Advanced
HWW708HSA	Rating plug 1250A Advanced
HWW709H	Rating plug 1600A Advanced
HWW709HSA	Rating plug 1600A Advanced
HWW710H	Rating plug 2000A Advanced
HWW710HSA	Rating plug 2000A Advanced
HWW711H	Rating plug 2500A Advanced
HWW711HSA	Rating plug 2500A Advanced
HWW712H	Rating plug 3200A Advanced
HWW712HSA	Rating plug 3200A Advanced
HWW713H	Rating plug 4000A Advanced
HWW713HSA	Rating plug 4000A Advanced
HWX048H	Fault trip Switch HW2 HW4 (FS)
HWX048HSA	Fault trip Switch HW2 HW4 (FS)
HWX058H	Position Sensor for COM HW2 HW4 (PSE)
HWY068H	Term Conn 1000-2500A HW4 3P (RC)
HWY068HSA	Term Conn 1000-2500A HW4 3P (RC)
HWY069H	Term Conn 1000-2500A HW4 4P (RC)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWY069HSA	Term Conn 1000-2500A HW4 4P (RC)
HWY082H	IP54 Transparent cover HW4 (IPTC)
HWY091H	Push Button Cover HW4 (PBC)
HWY091HSA	Push Button Cover HW4 (PBC)
HWY094H	Push Button Cover HU4 PSB (PBC)
HWY099H	Terminal Block Cover HW4 fixed (TBC)
HWY099HSA	Terminal Block Cover HW4 fixed (TBC)
HWY100H	Terminal Block Cover HW4 draw-out (TBC)
HWY100HSA	Terminal Block Cover HW4 draw-out (TBC)
HWY261H	Off locking key adaptor HW2/4 (OLK)
HWY261HSA	Off locking key adaptor HW2/4 (OLK)
HWY288H	Door Flange LT for HW4 Fixed (DF)
HWY289H	Door Flange LT for HW4 Draw-out (DF)
HWY290H	Door Flange HT for HW4 Fixed (DF)
HWY291H	Door Flange HT for HW4 Draw-out (DF)
HWY362H	No OFF locking button HW2 HW4
HWY362HSA	No OFF locking button HW2 HW4
HWY971H	External sensor 630-2500A HW2 (ENCT)
HWY972H	External sensor 1000-4000A HW4 (ENCT)
HWW221HSP	Trip lever extender HW1 (for MI)
HWW450HSP	Trip unit sentinel LI (with screw)
HWW451HSP	TU sentinel LSI (with screw)
HWW452HSP	TU sentinel LSIG (with screw)
HWW453HSP	TU sentinel Energy LSI (with screw)
HWW454HSP	TU sentinel Energy LSIG (with screw)
HWW459HSP	sentinel TU transparent cover
HWW460HSP	sentinel energy TU transparent cover
HWW461HSP	sentinel TU screen replacement kit
HWW462HSP	sentinel energy screen replacement kit
HWW480HSP	sentinel trip unit harness
HWW481HSP	sentinel energy trip unit harness
HWW488HSP	MHT coil HW1
HWW500HSP	Draw-out handle HW1
HWW502HSP	Charging handle HW1
HWW504HSP	Neutral cover HW1 (with screws)
HWW508HSP	Push on + push off buttons HW1
HWW510HSP	Front cover HW1 ACB (with screws)
HWW511HSP	Front cover HW1 SWITCH (with screws)
HWW516HSP	Chassis locking cover HW1
HWW518HSP	Safety cover (front of springs) HW1
HWW520HSP	Safety shutters 3P HW1 (with screws)
HWW521HSP	Safety shutters 4P HW1 (with screws)
HWW530HSP	Jaw contacts (3 pcs) HW1
HWW540HSP	Arc chamber HW1 (x1) (with screws)
HWW550HSP	Side plate HW1 DO (with screws)
HWW551HSP	Side plate HW1 FIX (with screws)
HWW580HSP	Moving part connections 3P + grease HW1
HWW581HSP	Moving part connections 4P + grease HW1
HWW590HSP	Connection screws HW1 (x16)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Références produits :

Type references :

HWW593HSP	Front cover screws for ACB HW1 (x4)
HWW596HSP	Arc chamber screws HW1
HWW610HSP	Slid. conn. interface moving part DO HW1
HWW613HSP	Front cover slid. conn. interface DO HW1
HWW616HSP	Slid. conn. interface + cover FIX HW1
HWW620HSP	Terminal block support for FIX HW1
HWW640HSP	Drawout rails HW1 (with screws)
HWY370HSP	Lock in disconnected position HW1
HWY371H	Lock in disconnected position HW2/4
HWY371HSP	Lock in disconnected position HW2/4
HWW474H	Rating Plug 5000A
HWW474HSA	Rating Plug 5000A
HWW475H	Rating Plug 6300A
HWW475HSA	Rating Plug 6300A
HWW734H	Rating plug 5000A Ultimate
HWW735H	Rating plug 6300A Ultimate
HWW714H	Rating plug 5000A Advanced
HWW714HSA	Rating plug 5000A Advanced
HWW715H	Rating plug 6300A Advanced
HWW715HSA	Rating plug 6300A Advanced
HWW694H	Rating plug 5000A Harmonic
HWW694HSA	Rating plug 5000A Harmonic
HWW695H	Rating plug 6300A Harmonic
HWW695HSA	Rating plug 6300A Harmonic
HWW674H	Rating plug 5000A Meter Plus
HWW674HSA	Rating plug 5000A Meter Plus
HWW675H	Rating plug 6300A Meter Plus
HWW675HSA	Rating plug 6300A Meter Plus
HWX044H	Std auxiliary Switch HW2/4 (AX)
HWX045H	Std auxil. Switch low-level HW2/4 (AX)
HWY973H	External sensor 3200-6000A (ENCT)
HWY980H	ENCT cable adapter hw+
HWY981H	ENCT cable adapter hw+ (100%N)

DECLARATION UE DE CONFORMITE / EU DECLARATION OF CONFORMITY

N° 24.2950.02.24

Évaluation du risque appliqué / Applied Risk Assessment(s)

Les documents énumérés ci-dessous ont été élaborés pour garantir que toutes les exigences essentielles de la ou des directives appliquées sont respectées :

Documents listed below have been developed to assure that all essential requirements of applied directive(s) are fulfilled:

Si le produit n'est pas concerné par la directive RED, compléter le tableau 1a, si oui compléter le tableau 1b

If the product is not in the scope of Radio Equipment directive, fulfil table 1a, if yes fulfil table 1b.

Table 1a Risk Assessment for Equipment without Radio	Applicable: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Only harmonized standard(s) published on the OJEU (Official journal of European union: https://ec.europa.eu/growth/single-market/european-standards/harmonised-standards_en) are used:	No
Scope and classification fully covers the product (case 1 of Hager Group risk analysis) :	Yes
Comments :	
Hager Group risk analysis: (Only if there is at least one "No", then you have to explain how you cover the essential requirements of the European Directive and fill the document <u>DMS034433</u> - Hager Group risk analysis)	Risk analysis Accessories for HW1_HW2_HW4_HW6 Risk analysis Accessories UVT

Table 1b Risk Assessment for Radio equipment	Applicable: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Hager Group risk assessment: Fill document DMS063155	

Module(s) de preuve(s) / Evidence(s)

Les documents listés ci-dessous ont servis de base pour l'établissement de la conformité aux exigences essentielles des directives appliquées :

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives:

Certificate(s) / test report(s):	CB NL-89667 (HW1) / 3327705.50 CB NL-89708 (HW2) / 3327706.50 CB NL-89780 (HW4) / 3327707.50 CB NL-89003 (HW6) / 3319199.50 See folder « Evidences 24.2950.02.24 » DMS039873
Mark approval(s):	No mark approvals
Product documentation :	See HAGER website
Comments:	None

Signature (conception technique) / Signature (technical design)

Nom du signataire / Name of signatory

Francis Diebold

Fonction du signataire / Function of signatory

Engineering Director / Manager

Lieu et date d'établissement / Place and date of issue

Obernai, le 29 Février 2024

Signature / Signature

