
1SET411105R0000 - ACTIVE

ENTRELEC

TE Internal #: 1SET411105R0000 Wiring Duct, Low Smoke Halogen Free, Height 60 mm [2.362 in], Length 2000 mm [78.74 in], Width 40 mm [1.575 in], -25 – 90 °C [-13 – 194 °F]

View on TE.com >

Wire Protection & Management > Wiring Ducts & Accessories > Wiring Ducts & Covers



Wiring Duct Product Type: Wiring Duct

Wiring Duct & Accessory Material: Low Smoke Halogen Free

Product Height: 60 mm [2.362 in]

Product Length: 2000 mm [78.74 in]

Product Width: 40 mm [1.575 in]

Features



Product Type Features

Wiring Duct Product Type	Wiring Duct
Body Features	
Primary Product Color	Gray
Housing Features	
Wiring Duct & Accessory Material	Low Smoke Halogen Free
Dimensions	
Product Height	60 mm[2.362 in]
Product Length	2000 mm[78.74 in]
Product Width	40 mm[1.575 in]
Usage Conditions	
Operating Temperature Range	-25 – 90 °C[-13 – 194 °F]
Packaging Features	
Packaging Quantity	18

C For support call+1 800 522 6752

1SET411105R0000

Wiring Duct, Low Smoke Halogen Free, Height 60 mm [2.362 in], Length 2000 mm [78.74 in], Width 40 mm [1.575 in], -25 – 90 °C [-13 – 194 °F]



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



1SET411105R0000

Wiring Duct, Low Smoke Halogen Free, Height 60 mm [2.362 in], Length 2000 mm [78.74 in], Width 40 mm [1.575 in], -25 – 90 °C [-13 – 194 °F]



= TE
TE Part # 1SET411407R0000 WD-1-TL-0007

Documents

Product Drawings WD-1-DH-GR4060

French

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SET411105R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SET411105R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SET411105R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Infographic - entrelec ews-linecard

English

Datasheet - ENTRELEC-wiring-duct-DS

English

Datasheet - Entrelec Electrical-Solutions

Essential Entrelec Terminal Blocks

French

Essential Entrelec Terminal Blocks

English

Agency Approvals UL

English