
1SET141004R0000 - ACTIVE

ENTRELEC

TE Internal #: 1SET141004R0000 Splices, Butt Splice, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Yellow, Serrated View on TE.com >



Terminals & Splices > Splices > Splices, Vinyl Insulated



Wire Size: **3–6 mm²**

Sealable: No

Splice Features: Standard

Accepts Wire Insulation Diameter Range: 6.35 mm [.25 in]

All Splices, Vinyl Insulated (7)

Features

Product Type Features

Splice Accessory Type	Splice			
Sealable	No			
Splice Type	Butt Splice			
Serrated	Yes			
Compatible With Discrete Wire Type	Solid, Stranded			
Wire Insulation Support Retention Type	Insulation Support			
Configuration Features				
Compatible With Wire & Cable Type	Discrete Wire			
Electrical Characteristics				
Operating Voltage	600 V			
Body Features				
Insulation Sleeve Material	Vinyl			
Weight per Piece	.604 g			
Plating Material	Tin			

C For support call+1 800 522 6752

Splices, Butt Splice, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Yellow, Serrated



Insulation Material	PVC
Splice Features	Standard
Primary Product Material	Copper
Primary Product Color	Yellow
Contact Features	
Contact Plating Material	Tin
Barrel Type	Closed
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	5180 – 13100 CMA
Accepts Wire Insulation Diameter Range	6.35 mm[.25 in]
Overall Product Length	29.46 mm[1.16 in]
Usage Conditions	
Insulation Option	Fully Insulated
Operating Temperature Range	90 °C[221 °F]

Operation/Application

Heavy Duty	No				
Compatible With Wire Base Material	Copper				
Industry Standards					
Government Qualified Splice	No				
Packaging Features					
Packaging Quantity	500				
Packaging Method	Loose Piece				
Other					
Military Category	No				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				

C For support call+1 800 522 6752

Splices, Butt Splice, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Yellow, Serrated



China RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2022
(224)
Not Yet ReviewedHalogen ContentNot Low Halogen - contains Br or Cl > 900
ppm.Solder Process CapabilityNot reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



	TE	TE	AMP 58423-1-0
TE Part # 59824-1 TETRA-CRIMP PIDG PG FASTON 22- 10 ASSY	TE Part # 58433-3 PRO CR ASSY, RBY IS9252	TE Part # 59239-4 HHHT PIDG PG 12-10 ASSY	TE Part # 58423-1 DIE, RBY IS9252



Customers Also Bought

Splices, Butt Splice, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Yellow, Serrated





Documents

Product Drawings SP060

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SET141004R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SET141004R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SET141004R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages Infographic - entrelec ews-linecard English Data Sheet - ENTRELEC PVC Insulated Terminals and Splices English Data Sheet - ENTRELEC PVC Insulated Terminals and Splices French Data Sheet - ENTRELEC PVC Insulated Terminals and Splices German Data Sheet - ENTRELEC PVC Insulated Terminals and Splices Data Sheet - ENTRELEC PVC Insulated Terminals and Splices Data Sheet - ENTRELEC PVC Insulated Terminals and Splices Data Sheet - ENTRELEC PVC Insulated Terminals and Splices Data Sheet - ENTRELEC PVC Insulated Terminals and Splices **Essential Entrelec Terminal Blocks**

Splices, Butt Splice, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Yellow, Serrated



French

Essential Entrelec Terminal Blocks

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals CSA Certificate

English