
# **1SET411019R0000** • ACTIVE

### ENTRELEC

TE Internal #: 1SET411019R0000 Wiring Duct, PVC, Height 80 mm [3.15 in], Length 2000 mm [78.74 in], Width 60 mm [2.362 in], -5 – 60 °C [23 – 140 °F]

### View on TE.com >

Wire Protection & Management > Wiring Ducts & Accessories > Wiring Ducts & Covers



Wiring Duct Product Type: Wiring Duct

Wiring Duct & Accessory Material: PVC

Product Height: 80 mm [3.15 in]

Product Length: 2000 mm [78.74 in ]

Product Width: 60 mm [2.362 in ]

### Features

#### Product Type Features



	• •		

Wiring Duct Product Type	Wiring Duct				
Body Features					
Primary Product Color	Gray				
Housing Features					
Wiring Duct & Accessory Material	PVC				
Dimensions					
Product Height	80 mm[3.15 in]				
Product Length	2000 mm[78.74 in]				
Product Width	60 mm[2.362 in]				
Usage Conditions					
Operating Temperature Range	-5 – 60 °C[23 – 140 °F]				
Packaging Features					
Packaging Quantity	12				

### 1SET411019R0000

Wiring Duct, PVC, Height 80 mm [3.15 in], Length 2000 mm [78.74 in], Width 60 mm [2.362 in], -5 – 60 °C [23 – 140 °F]



### **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Out of Scope	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not reviewed for solder process capability	

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**




### 1SET411019R0000

Wiring Duct, PVC, Height 80 mm [3.15 in], Length 2000 mm [78.74 in], Width 60 mm [2.362 in], -5 – 60 °C [23 – 140 °F]





# Customers Also Bought



WD-1-DP-GR8010	WD-1-DP-GR8060	ZS10	ZS10-PE



## Documents

Product Drawings WD-1-DP-GR6080

French

### **CAD** Files

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1SET411019R0000\_A.2d\_dxf.zip

### 1SET411019R0000

Wiring Duct, PVC, Height 80 mm [3.15 in], Length 2000 mm [78.74 in], Width 60 mm [2.362 in], -5 – 60 °C [23 – 140 °F]



English

Customer View Model ENG\_CVM\_CVM\_1SET411019R0000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SET411019R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Infographic - entrelec ews-linecard

English

Datasheet - ENTRELEC-wiring-duct-DS

English

Datasheet - Entrelec Electrical-Solutions

**Essential Entrelec Terminal Blocks** 

French

**Essential Entrelec Terminal Blocks** 

English

Agency Approvals

UL

English