

PRODUCT-DETAILS

NEXUS-3-2128

NEXUS-3-2128 ACE 128 devices,8000 points



Informations générales

Alias commercial mondial	NEXUS-3-2128
Extension du type de produit	NEXUS-3-2128
Code de produit	2CQG100110R201
EAN	5391539125780
Description courte	NEXUS-3-2128 ACE 128 devices,8000 points
Description longue	NEXUS ACE (ASPECT Control Engine) with embedded ASPECT runtime engine and web UI, includes 2 RS-485 ports, configurable for 9.6 to 115.2 kbps, capable of supporting up to a total of 128 devices (either MS/TP or TCP/IP) or 8,000 points. Support for 2 RS-485 protocols (BACnet MS/TP, Modbus RTU, or AAM PUP). One RJ-45 10/100/1000 MB Ethernet port with TCP/IP support for FT/Net, BACnet/IP, Modbus TCP and Cylon UC.32 Net. Field upgrade-able to support a maximum of 10,000 points and 128 devices as a combination of either TCP/IP or MS/TP connections.

Technique

Voltage Range	9 ... 36 V
Interface de communication	IP, MS/TP

Environnement

Température de l'air ambiant	-25 ... 70 °C
Indice de protection	IP20

Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	CDOC1898
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	119 mm
Produit Hauteur Net	154 mm
Produit Longueur Net	56 mm
Poids net	2.6 kg
Schéma dimensionnel	9AKK108468A0133

Commande

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	2.7 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	CDOC1898
--------------------------------	----------

Installation

Instructions et manuels	MAN0151
-------------------------	---------

Downloads Préférés

Fiche produit, informations techniques	DS0114
--	--------

Classifications

ETIM 8	EC011487 - Free programmable controller
ETIM 9	EC011487 - Free programmable controller
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	9032890090

Catégories

Produits basse tension → Home and Building Automation → Building Management Solutions → ASPECT Supervisory Building Control → Control Engines

